

## **Addendum**

### Index of Key Words and Phrases

---

<b>A</b>	
Alternator, Brushless ; 4.3	Arc Flash ; 9.4.2
Amplifier, Operational ; 3.5	Area, Hazardous ; 7.1
Apparatus, Withdrawn ; 9.7.23	ATEX ; 7.2
Approved ; 9.7.2	AVR ; 4.7
Arc ; 9.4.1	
<b>B</b>	
Band, Proportional ; 8.10.5.2	BASEEFA ; 7.2
Barrier, Active ; 7.11.7.3.2	Breaker, Miniature Circuit (MCB) ; 2.5
Barrier, Transformer Isolation (TIB) ; 7.11.7.3.2	Breaker, Moulded Case Circuit ; 2.6
Barrier, Zener ; 7.11.7.3.1	Breaker, Sulphur-hexafluoride (SF6) ; 9.13.2
<b>C</b>	
CEC ; 7.2	Control, Cascade ; 8.12
CENLEC ; 7.2	Control, Continuous ; 8.9.2
Central Processing Unit (CPU) ; 8.17.3.2	Control, Integral ; 8.9.2.2
Charge, Freshening ; 6.12.5.2	Control, Pneumatic ; 8.1
Charge, Initial ; 6.12.5.1	Control, Process ; 8.2
Circuit Main Earth ; (CME) ; 9.7.5	Control, Proportional ; 8.9.2.1
Coil, Blow-out ; 4.11.1	Control, Rate ; 8.9.2.3
Compartment, Cable ; 9.12.3	Controller, Programmable Logic (PLC) ; 8.17
Component, 3.1 ; Passive	Converter, Electro-Pneumatic (I/P) ; 8.11
Component, Active ; 3.4	Current, Capacitive (IC) ; 9.20.1
Conditioner, Signal ; 8.3.2	Current, Conduction (IR) ; 9.20.1
Contact, Main ; 2.7	Current, Impressed ; 6.1
Contact, Vacuum ; 9.13.1.3	Current, Polarization (IP) ; 9.20.1
Contacts, Contrate ; 9.13.1.2	Current, Surface Leakage (IL) ; 9.20.1

## **Addendum**

### Index of Key Words and Phrases

---

<b>D</b>	
Dead ; 9.7.8	Diode, Light-emitting ; 3.3.7
Derivative ; 8.9.2.3	Diode, Zener ; 3.3.5
Detector, Resistance Temperature (RTD) ; 8.4.1	Division 1 ; 7.6.1
DIAC ; 3.7	Division 2 ; 7.6.3
Diode, Photo ; 3.3.6	
<b>E</b>	
Earth, Additional ; 9.7.1	Ex o ; 7.11.5
Earthing Down ; 9.7.11	Ex p ; 7.11.2
Energy, Minimum Ignition (MIE) ; 7.3.8	Ex q ; 7.11.6
Equipment Protection Level (EPL) ; 7.9	Ex s ; 7.11.8
Ex d ; 7.11.1	Excitation, Self ; 4.7.2
Ex e ; 7.11.3	Excitation, Static ; 4.7.2
Ex i ; 7.11.7	Explosion ; 7.3.1
Ex m ; 7.11.4	
<b>F</b>	
Flash Point ; 7.3.2	Fusing Factor ; 2.4.3
Flashing ; 4.5.1.2	
<b>G</b>	
Gate, XOR (Exclusive-OR) ; 3.12.3 ;	Gate, NOT ; 3.12.4
Gate, AND ; 3.12.1	Gate, OR ; 3.12.2
Gate, Logic ; 3.12	Gate, Universal ; 3.12.8
Gate, NAND ; 3.12.5	Gate, XNOR ; 3.12.7
Gate, NOR ; 3.12.6	Gauge, Strain ; 8.5.2
<b>I</b>	
IGBT ; 3.9	Isolation ; 9.7.13
Index Polarization ; 9.20.1	Isolator, Fuse Switch ; 2.3.2
<b>K</b>	
Key Safe ; 9.7.14	

## **Addendum** **Index of Key Words and Phrases**

---

<b>L</b>	
Lenz's law ; 4.1, 3.1.2.1	Lock Out ; 1.6.1
Limitation of Access (LOA) ; 9.7.15	Lock, Safety ; 9.7.21
Live ; 9.7.16	Loop, Closed ; 8.2.2
LoaD ; 8.17.6.1	Loop, Open ; 8.2.1
LoaDBar ; 8.17.6.2	Lower explosion limit LEL ; 7.3.5
LoaDNot ; 8.17.6.2	
<b>M</b>	
Macroshock ; 1.4.1.2	Motor, Brushless DC (BLDC) ; 5.3.3
Management Risk ; 1.2	Motor, DC ; 5.3.1
Maximum Experimental Safe Gap (MESG) ; 7.1	Motor, Squirrel Cage Induction ; 5.4.1.1
Microshock ; 1.4.1.1	Motor, Three-phase Asynchronous ; 5.4.1
MOSFET ; 3.1	
<b>N</b>	
NEC ; 7.2	Notice, Danger ; 9.7.7
Notice, Caution ; 9.7.4	
<b>O</b>	
Off Locking ; 9.7.17	Out ; 8.17.6.3
Opto-coupler ; 3.3.8	OutBar ; 8.17.6.4
<b>P</b>	
Permit to Work (PTW) ; 9.7.18	Person, Competent ; 9.7.6
Person, Authorized (AP) ; 9.7.3	Plate, Orifice ; 8.7
<b>R</b>	
Rectifier, Silicon Controlled (SCR) ; 3.6	Relay, Output ; 8.17.4.5
Relay, Dual Coil Latch ; 2.12	Relay, Over Current ; 2.8
Relay, Input ; 8.17.4.1	Relay, Pneumatic ; 8.10.1
Relay, Internal Utility ; 8.17.4.2	Release, Shunt Trip ; 2.6.3
Relay, Lockout ; 4.12.9	Release, Under Voltage ; 2.6.2

## **Addendum**

### Index of Key Words and Phrases

---

<b>S</b>	
Semiconductors ; 3.2	Starter, Three Point ; 5.3.5.1
Speed Synchronous ; 5.4.1.2	Surge ; 9.12.1
Stability ; 8.1	Surge Arrestor Metal Oxide ; 9.12.2
Starter, Four Point ; 5.3.5.2	
<b>T</b>	
Tag Out ; 1.6.1	Transducer, Capacitive ; 8.5.3
Tankscope ; 6.5	Transducer, Piezoelectric ; 8.5.4
Temperature, Auto Ignition ; 7.3.3	Transducer; 8.3.1
Thyristor ; 3.6	Transformer, Linear Variable Differential (LVDT) ; 8.5.1
Timer, Off-delay ; 2.11.2	Transistor ; 3.4.1
Timer, On-delay ; 2.11.1	Transistor, Field Effect; 3.4.2
Torque , Pull-up ; 5.4.1.2	Transmitter, Pneumatic Temperature ; 8.10.2
Torque, Break-down ; 5.4.1.2	Transmitter, Pneumatic Differential Pressure ; 8.10.3
Torque, Locked Rotor ; 5.4.1.2	TRIAC ; 3.8
Torque, Starting ; 5.4.1.2	
<b>U</b>	
Upper Explosion Limit (UEL) ; 7.3.6	
<b>V</b>	
Vapour Density ; 7.3.7	Viscometer ; 8.8
<b>Z</b>	
Zone 0 ; 7.6.1	Zone 20 ; 7.7.1
Zone 1 ; 7.6.2	Zone 21 ; 7.7.2
Zone 2 ; 7.6.3	Zone 22 ; 7.7.3