

Addendum

Index of Key Words and Phrases

A	
<p>AC Surge; 14.6.2</p> <p>ACB; 12.5.1</p> <p>ACB, Splitter plates for; 12.5.1</p> <p>Accuracy; 10.2.9</p> <p>AFCI; 12.9</p> <p>Ageing; 6.6.5</p> <p>Air Compressors, Safety Protection Equipment; 21.8</p> <p>Air Drier; 21.11</p> <p>Air-conditioner, Sea Water Cooling of the; 26.12.5</p> <p>Air-conditioners, Types of; 26.12.2</p> <p>Air-conditioning Systems; 26.12</p> <p>Air-cooled converters; 18.13.5.2</p> <p>Alarm</p> <ul style="list-style-type: none"> - Control Panel; 24.5 - Dead Man; 24.9 - Scanner; 24.11.1 - System, scanning type; 24.11 <p>Alternator</p> <ul style="list-style-type: none"> - Amortisseur or Damper Winding of; 7.7.1.4 - Brushless; 7.7 - Brushless - High Voltage; 7.9 - Cylindrical Rotor Construction of; 7.9.3 - Elementary; 7.2 - High Speed; 7.6.3, 7.6.4 - Induction (a k a The Induction Generator); 7.8 - Low Speed; 7.6.4 	<p>Alternator (continued)</p> <ul style="list-style-type: none"> - Performance Requirements of; 9.1 - Rotating Armature; 7.5 - Rotating Field; 7.6 - Salient Pole Rotor; 7.6.4 - Shaft driven; 7.13 - Stator Construction; 7.6.1 - Throttle Control; 11.9 <p>AVR; 9.2</p> <p>AVR, error-operated; 9.7</p> <p>Analyser, Oxygen,</p> <ul style="list-style-type: none"> - Fixed; 25.6 - Portable; 25.5 <p>Angles of Inclination; 1.2.1</p> <p>Arc</p> <ul style="list-style-type: none"> - Blast; 2.12.2 - Chutes; 12.5 - Control; 12.5 - Fault Current Interrupters; 12.9 - Flash; 2.12.1 <p>Arcing contacts; 12.5</p> <p>Armature Reaction; 8.5, 8.17.2</p> <p>Armour; 16.12</p> <p>Auto-Synchronising; 11.4</p> <p>Average deflecting torque; 10.9</p>
B	
<p>Batteries</p> <ul style="list-style-type: none"> - AGM type; 22.7.3 - Ampere-hours (Ah); 22.8.2 - Characteristics; 22.8 - Charging; 22.15 - Container; 22.6.4.1 - Deep Cycle; 22.7.5 	<p>Batteries (Continued)</p> <ul style="list-style-type: none"> - Gel Cell; 22.7.4 - Installations and Safety Measures; 22.22 - Lead-acid; 22.5 - Lead Tape for; 22.6.4.3 - Positive and Negative Plates; 22.6.1 - Sealed Nickel-Cadmium; 22.11.5

Addendum

Index of Key Words and Phrases

B (Continued)	
<p>Batteries (Continued)</p> <ul style="list-style-type: none"> - Separators; 22.6.3 - Single- Rate and Two-Rate Chargers; 22.20 - Slotted Support Strip for; 22.6.4.4 - Supplies; 22.4 - Terminal Plate; 22.6.4.5 - Thermal Runaway; 22.18 - Topping Up; 22.16.7 <p>Bearing</p> <ul style="list-style-type: none"> - Flange-mounted; 7.7.1.6 - Pedestal; 7.7.1.7 <p>Beckman Oxygen Analyser (Munday Cell Type); 25.7</p>	<p>Blackout; 5.2</p> <p>Blondel's Theorem; 10.11</p> <p>Body resistance; 2.12.3.2</p> <p>Bonding; 6.1.2.2</p> <p>Breaker(s)</p> <ul style="list-style-type: none"> - Air-break circuit (ACB); 12.5.1 - Alternator; 12.5 - Anti-bounce devices for; 12.5.1 - Circuit Breaker (CB); 12.4 - MCB; 12.7 - MCCB; 12.6 - RCCB; 12.8
C	
<p>Cable(s)</p> <ul style="list-style-type: none"> - Codes; 15.8 - Codes, Electrical; 15.8 - Control; 15.9.2.3 - Distribution; 15.9.2.2 - Gland; 16.13 - Protection; 14.17 - Signal; 15.9.2.4 - Tags; 15.9.2.1 - Testing; 15.7 <p>Capacitor Control; 12.6.2</p> <p>Capacity (battery); 22.8.2</p> <p>Carbon Dioxide Analysis; 25.4</p> <p>Cathodic Protection; 26.2</p> <p>Cell(s)</p> <ul style="list-style-type: none"> - Electrical Characteristics - Lead-acid type; 22.8 - Indications of a Fully-Charged Cell; 22.16.6 - Nickel cadmium; 22.11 - Secondary; 22.2 - Silver- Cadmium; 22.13 - Silver Zinc; 22.12 	<p>Cell(s) (Continued)</p> <ul style="list-style-type: none"> - Sealed (Nickel cadmium); 22.11.5 - Wet; 22.2 <p>CEMF; 17.16.1</p> <p>Characteristic Numeral; 16.15</p> <p>Charge</p> <ul style="list-style-type: none"> - Equalizing; 22.15.3 - Fast; 22.15.5 - Floating; 22.15.4 - Initial; 22.15.1 - Normal; 22.15.2 <p>Charger(s)</p> <ul style="list-style-type: none"> - Float; 22.20.3 - Trickle; 22.20.2 <p>Charging</p> <ul style="list-style-type: none"> - Constant-current System; 22.16.2 - Constant-voltage System; 22.16.3 - From AC Mains; 22.19.2 - From DC Source; 22.19.1 - Methods; 22.19 - Lead-Acid Batteries; 22.16

Addendum

Index of Key Words and Phrases

C (Continued)	
<p>Charging (Continued)</p> <ul style="list-style-type: none"> - Nickel Cadmium Batteries; 22.17 - Rate; 22.15.6 - Systems; 22.16.1 - Trickle; 22.16.5 <p>Choke; 23.3 and 23.4</p> <p>Circuit</p> <ul style="list-style-type: none"> - Basic or Line Diagram; 1.9.1 - Branch; 1.9.6 - Control; 1.9.6.2 - Power; 1.9.6.1 <p>Class; 2.1</p> <p>Classification Societies; 2.1</p> <p>Combustible Gas Indicator or Explosimeter; 25.1</p> <p>Commutating Poles; 8.8</p> <p>Commutation; 8.9</p> <ul style="list-style-type: none"> - Successful; 8.9 <p>Compensating winding; 8.7</p>	<p>Compressor</p> <ul style="list-style-type: none"> - Air Cooled; 21.5.1 - Automatic Drains; 21.7.5 - Safety devices (Refrigeration); 26.9.3 - Intermediate Pressure Machines; 21.4.2 - Methods of Unloading; 21.7.2 - Reciprocating; 21.6 - Selection of; 21.1 - Unbalanced Load between Stages; 21.8.2 - Water Cooled; 21.5.2 <p>Constancy; 10.2.14</p> <p>Controlling torque; 10.9</p> <p>Core Characteristics (transformer); 17.2.1</p> <p>Crankcase</p> <ul style="list-style-type: none"> - Explosions; 24.8.1 - Oil Mist Detector; 24.8 <p>Critical Field Resistance; 8.15.4</p> <p>Cycloconverter Method of Speed Control; 18.12</p>
D	
<p>Damping, Eddy Current; 10.6</p> <p>Damping, Air Friction; 10.8.4</p> <p>Danger Signals; 2.7</p> <p>DC</p> <ul style="list-style-type: none"> - Surge; 14.6.1 - Switchboards; 12.1.1.2 <p>Dead Zone; 10.2.19</p> <p>Deck Crane; 20.3</p> <p>Deck Machinery Control Systems; 20.4</p> <p>Deflecting torque; 10.6</p> <p>Density; 22.16.6</p> <p>Diagram</p> <ul style="list-style-type: none"> - Additional Aids; 1.9.8 - Basic; 1.9.1 - Block; 1.9.2 	<p>Diagram (Continued)</p> <ul style="list-style-type: none"> - Electrical; 1.9 - Circuit; 1.9.4 - System; 1.9.3 - Wiring; 1.9.5 - Wiring, using Cartesian Coordinates; 1.9.7 <p>Distribution</p> <ul style="list-style-type: none"> - Secondary; 4.3.3 - Single-Phase 2-Wire System; 4.2.1 - Single-Phase 3-Wire System; 4.2.2 - Three-Phase 3-Wire System; 4.2.3 - Three-Phase 4-Wire System; 4.2.4 <p>Diverter; 8.14.6</p> <p>Door surveillance; 26.8.13</p> <p>Drives, Electrical Booster; 18.13.8</p>

Addendum

Index of Key Words and Phrases

D (Continued)	
Dionic Unit; 26.5.1 Direct short; 14.2 Discrimination, Protection; 14.15 Distribution <ul style="list-style-type: none"> - Bus bar-type Network; 4.4.2 - Fuse boards; 12.1.4 	<ul style="list-style-type: none"> - General Scheme Applicable to Tankers; 4.6 - Systems Onboard Ships; 4.4 - Primary; 4.3.2 - Radial; 4.4.1 Droop; 9.8
E	
Earth Fault <ul style="list-style-type: none"> - Causes; 6.6 - Detection and Clearance; 6.10 - Indicator; 6.8 - Prevention; 6.7 - Monitor; 6.8 - Monitor, Digital; 6.9 Earthed <ul style="list-style-type: none"> - Neutral system; 6.2 Earthing and Bonding; 6.1.2 Eddy Current <ul style="list-style-type: none"> - Damping; 10.6 - Loss; 17.11.2 Effects of temperature; 1.5 Electrical burns; 2.12.1 Electrochemical Action; 22.3 Electrodynamometer; 10.8 Electromagnetic <ul style="list-style-type: none"> - Compatibility (EMC); 6.1 - Interference (EMI); 6.1 - Trip; 14.12.1.1 Electronic over-current relay; 14.12.1.3 Embossed metal tags; 15.9.2.1 Emergency <ul style="list-style-type: none"> - Battery supplies; 22.4 - Generator; 5.1 - Lighting; 23.14 	Emergency (Continued) <ul style="list-style-type: none"> - Power, method of supplying; 5.1 - Services; 1.6.7 - Source of electrical power; 5.1.1 - Stop Panel; 1.6.8 - Switchboard; 5.1.2, 5.1.4 EMF Equation; 7.1.1 Ex d; 3.3.1 Ex e; 3.3.8 Ex i; 3.3.11 Ex m; 3.3.14.3 Ex n; 3.3.13 Ex o; 3.3.14.1 Ex p; 3.3.9 Ex q; 3.3.14.2 Ex s; 3.3.14.4 Excitation <ul style="list-style-type: none"> - Control; 11.8 - Loss; 11.8.1 Exciter; 7.7.1.1 <ul style="list-style-type: none"> - Armature; 7.7.1.1.2 - Field; 7.7.1.1.1 Exciting current; 17.8 Exhaust Gas Turbo-generator System; 7.14 Explosimeter; 25.1

Addendum

Index of Key Words and Phrases

F	
<p>Fast Charge; 22.15.5</p> <p>Fault</p> <ul style="list-style-type: none"> - Circuit; 2.4.2 - Open-circuit; 2.4.2 - Rating; 12.4.3 <p>Feeder; 4.4.1</p> <ul style="list-style-type: none"> - Protection; 12.6.1 <p>Field coil; 8.13</p> <p>Field Decay Transients; 14.7.2</p> <p>Fillers; 16.11</p> <p>First Aid</p> <ul style="list-style-type: none"> - Treatment for Contact due to Spillage; 22.23 - Treatment for Electric Shock; 2.12.4 <p>Flammability Composition; 3.2.2</p> <p>Flame paths; 3.3.1</p> <p>Flameproof</p> <ul style="list-style-type: none"> - Enclosures; 3.3.1 - Test; 3.3.3 	<p>Flashing the Field; 8.14.1</p> <p>Flux Gate compass; 19.6</p> <p>Frequency</p> <ul style="list-style-type: none"> - Rated; 16.5.3 <p>Fuse</p> <ul style="list-style-type: none"> - Cartridge; 14.14.6.1 - Class P; 14.14.6.14 - Class Q; 14.14.6.14 - Class R; 14.14.6.14 - Diazed; 14.14.6.4 - High Rupturing Capacity; 14.14.6.8 - Neozed; 14.14.6.6 - NH; 14.14.6.7 - Pilot Wire; 13.5.4 - Semi-enclosed Re-wireable; 14.14.6.3 - Types of; 14.14.6 <p>Fusing</p> <ul style="list-style-type: none"> - Current, Minimum; 14.14.6.14 - Factor; 14.14.6.14
G	
<p>Galley</p> <ul style="list-style-type: none"> - Equipment; 26.6 - Simmerstat; 26.6 <p>Gassing; 22.16.6</p> <ul style="list-style-type: none"> - Nickel Cadmium Types; 22.17.1 <p>Generator</p> <ul style="list-style-type: none"> - Compound Wound; 8.14 - Cooling; 7.11 - Heating; 7.12 - Management; 1.8.2 - Multi- polar; 8.10 - Permanent Magnet (PMG); 9.3.2 - Restoring Residual Field of; 8.12.2 - Series Wound; 8.12 	<p>Generator (Continued)</p> <ul style="list-style-type: none"> - Series and Shunt Field Comparison; 8.14.3 - Shaft-driven; 7.13 <p>Gland, Cable; 16.13</p> <p>Ground; 6.3.1</p> <p>Grounded; 6.3.2</p> <p>Grounded Conductor; 6.3.3</p> <p>Grounding Conductor; 6.3.4</p> <p>Grounds</p> <ul style="list-style-type: none"> - Current-Carrying; 6.3.5 - Non-current-Carrying; 6.3.6 <p>Group Starter Boards (or Panels); 12.1.3</p> <p>Gyroscope; 19.4</p>

Addendum

Index of Key Words and Phrases

H	
Harmonic - Filters (transformer); 17.14 - Filters, Use of; 18.13.1.6 Harmonics; 7.19 - At Receptacle Load Centres; 12.11	Hazardous Area; 3.1.1 High Voltage System; 4.7 High Voltage Safety; 2.2.1 Hull Return System; 6.2 Hysteresis Loss; 17.11.3
I	
IACS; 2.1 IEC; 2.1 Inclination, Effects of; 1.2 Increased Safety (Ex e) Equipment; 3.3.8 Influence of Carbon Dioxide; 25.4.1 Information; 10.2.1 Instrument Air; 21.4 Insulating Material - Butyl Rubber; 16.10.2 - Cross- linked Polyethylene; 16.10.4 - Enamel Coating; 16.10.8 - Ethylene propylene rubber; 16.10.3 - Impregnated glass; 16.10.7	Insulating Material (Continued) - Mineral (MI); 16.10.5 - Polyvinyl Chloride (PVC); 16.10.1 - Silicon rubber (designated S); 16.10.6 - Varnished cloth (designated GTV); 16.10.7 Insulation - Ageing; 16.3 - Class A; 16.2.2 - Class B; 16.2.4 - Class E; 16.2.3 - Class F; 16.2.5 - Class H; 16.2.6 - Class Y; 16.2.1
Insulation (Continued) - Separators; 16.11 Intrinsically - Safe circuit; 3.3.1 - Safe (Ex i) Equipment; 3.3.11	Inverse time-current characteristic; 14.14.6.8 Isochronous; 9.8 Isolated system; 6.2
K	
Kinematic Energy; 21.1.2	
L	
Lamp(s) - Caps; 23.9 - Discharge; 23.3 - Disposal; 23.8 - High Pressure Mercury Fluorescent; 23.5 Fluorescent; 23.4 - Incandescent; 23.2	Lamp(s) (Continued) - High Pressure Sodium Vapour; 23.7 - Hot Cathode Low Pressure Mercury - Low Pressure Sodium Vapour; 23.6 Laundry Equipment; 26.7

Addendum

Index of Key Words and Phrases

L (Continued)	
<p>Lights and Lighting,</p> <ul style="list-style-type: none"> - Linear tungsten-halogen lamp; 23.2 - Navigation and Signal; 23.11 - Signal; 23.11 - Switch-start circuit; 23.4 <p>Linearity; 10.2.7</p> <p>Load</p> <ul style="list-style-type: none"> - Analysis; 1.7 - Demand Monitoring; 1.8.1 	<p>Load (Continued)</p> <ul style="list-style-type: none"> - Dump Transients; 14.7.1 - Inhibit; 1.8.5- KVAR; 9.9 - KW; 9.8 - Sharing, KVAR; 11.10.2 - Sharing, KW; 11.10.1 <p>Loading</p> <ul style="list-style-type: none"> - Effect of KVAR; 9.9 - Effect of KW; 9.8
M	
<p>Maintenance</p> <ul style="list-style-type: none"> - Breakdown; 27.5 - Condition; 27.3 - Life; 27.4 - Periodic / Planned Preventive; 27.2 <p>Manoeuvre Responsibility System; 18.14.10.2</p> <p>Manoeuvring System; 18.1.3</p> <p>Marine Environment; 1.1</p> <p>Measurement; 10.2.3</p> <ul style="list-style-type: none"> - of Active Power; 10.12 <p>Measuring System Terminology; 10.2</p> <p>Megger Test Report; 27.3.2.3</p> <p>Meter</p> <ul style="list-style-type: none"> - Dionic Water Purity; 26.5.1 - Digital; 10.18 - Frequency; 10.14 	<p>Meter (continued)</p> <ul style="list-style-type: none"> - (Frequency) Electrodynamicometer Type; 10.14.2 - In-Circuit; 10.4 - Out-of-Circuit; 10.5 - Permanent magnet moving coil; 10.6 - Power Factor; 10.13.2 <p>Motor</p> <ul style="list-style-type: none"> - Control Centre (MCC); 1.6.5 - Direct Current; 8.17 - DC - Compound Wound; 8.20 - DC - Series Wound; 8.19 - DC - Shunt Wound; 8.18 - DC - Braking; 8.22 - Ratings versus Temperature; 16.5 - Single-phasing; 14.16.2 <p>Motoring; 11.1</p>
N	
<p>No-load Voltage Control; 8.15.3</p>	<p>Normal trip temperature (NTT); 14.16.5</p>
O	
<p>Operator-induced Over- voltage Problems; 14.5.1</p> <p>Over, Flat and Under-Compounding; 8.14.5</p> <p>Over-compounding; 8.14.5</p> <p>Over-currents; 14.1</p>	<p>Overload</p> <ul style="list-style-type: none"> - Relay Setting; 13.5.1 - Trip Reset; 13.5.2 <p>Over-voltage; 14.5</p>

Addendum **Index of Key Words and Phrases**

P	
<p>Parallel Operation; 11.7</p> <p>Passenger; 1.6.2</p> <p>Passenger Ship; 1.6.2</p> <p>Phase</p> <ul style="list-style-type: none"> - Sequence; 5.3 - Sequence indicator; 5.3 <p>Polar Joystick Control System; 18.14.10.1</p> <p>Pole piece or pole shoe; 8.2</p> <p>Power</p> <ul style="list-style-type: none"> - Instantaneous; 10.7 - Management system; 1.8 <p>Power Supplies Commonly Available; 1.6.2</p> <p>Power Factor, Effect of; 10.12.3</p> <p>Practical Tips on Wiring; 15.9</p> <p>Precession; 19.4</p> <p>Preferential Tripping; 14.12.2</p> <p>Pressure Coil; 10.8.2</p> <p>Pressurised (Ex p) Equipment; 3.3.9</p> <p>Primary</p> <ul style="list-style-type: none"> - Distribution; 4.3.2 - Power Bus; 4.8 - Winding; 17.1 	<p>Propulsion</p> <ul style="list-style-type: none"> - Advanced Diesel-electric; 18.13 - Advantages of Electrical; 18.5 - APS; 18.3 - Benefits of SSP; 18.13.6.1 - Booster Drives; 18.13.8 - Disadvantages of Electrical; 18.6 - Diesel-electric Drives; 18.4 - Electrical; 18.4 - System; 18.3.1 - THS (Take Home System); 18.3.1 - Turbo-electric; 18.4 /18.7 - Water Jet; 18.16 - Propulsor, SSP; 18.13.6 <p>Protection</p> <ul style="list-style-type: none"> - Degrees of; 16.15 - Discrimination; 14.15.1 - Low voltage; 13.5.8 - Motor; 14.16 - Over-current; 14.12.1 - Under-voltage; 14.12.5
R	
<p>Range; 10.2.22</p> <p>Refrigerating Machinery; 26.10</p> <p>Refrigeration</p> <ul style="list-style-type: none"> - Cycle, Vapour Compression; 26.10.1 - Oil Differential Pressure Switch for; 26.10.3.3 <p>Repeatability; 10.2.12</p> <p>Reproducibility; 10.2.11</p> <p>Resolution; 10.2.20</p>	<p>Resuscitation</p> <ul style="list-style-type: none"> - Holger-Neilson; 2.12.4.3 - Mouth-to-mouth; 2.12.4.2 <p>Ripple; 14.8</p> <ul style="list-style-type: none"> - Sources; 14.8 <p>Risk Management Process; 2.2</p> <p>Rotating Field Alternators; 7.6</p> <p>Rotating Rectifier; 7.7.1.2</p> <p>Rotor Resistance; 13.8</p>

Addendum

Index of Key Words and Phrases

S	
<p>Safe Electrical Equipment for Hazardous Areas; 2.13</p> <p>Safety</p> <ul style="list-style-type: none"> - High Voltage; 2.2.1 - Measures, Active; 2.4 - Measures, Passive; 2.3 - Standards, International; 3.3 - Welding; 2.10.1 <p>Salinity to Ohmic Value Table; 26.5.2</p> <p>Salinometer; 26.5.2</p> <p>Secondary winding; 17.1</p> <p>Sequential Restarting; 14.12.4</p> <p>Sheath (Cable); 16.12</p> <p>Shims; 8.2</p> <p>Ship's Auxiliary Services; 1.6.9</p> <p>Ship's Stabiliser - Lift Control; 19.11</p> <p>Shock</p> <ul style="list-style-type: none"> - Electric (Accidents); 2.12 - Precautions; 2.8 - Macro; 2.11.3.2 - Micro; 2.11.3.1 - Risk with Portable AC Appliances; 2.10 <p>Short and Long Shunt; 8.14.2</p> <p>Short circuit analysis; 1.7</p> <p>Skin effect; 12.2.1</p> <p>Span; 10.2.21</p> <p>Spikes; 14.9</p> <p>Stabiliser for Ships; 19.11</p> <p>Stability; 10.2.13</p> <p>Starter</p> <ul style="list-style-type: none"> - Autotransformer; 13.7 - Control-circuit Operation; 13.6.3 - Direct-on-line; 13.3 	<p>Starter (Continued)</p> <ul style="list-style-type: none"> - Electronic; 13.10 - Local; 1.6.6 - Power circuit operation 13.6.1 - Special high torque induction motor; 13.8 - Star-delta; 13.4 <p>Static</p> <ul style="list-style-type: none"> - Automatic Voltage Regulator; 9.4 - Frequency Converter; 7.13.2 - Excitation System; 9.5, 9.6 - Sensitivity; 10.2.6 <p>Steering</p> <ul style="list-style-type: none"> - Anschütz Auto; 19.2 - Control, Electronic; 19.1.9 - Gear, Elementary; 19.1.1 - Stand, Dual Control Gyro Pilot; 19.3.2 <p>- Non-Follow-up (NFU) Control of; 19.2.2 / 19.1.5</p> <p>Supply, shore; 5.3</p> <p>Switchboard</p> <ul style="list-style-type: none"> - Main; 12.1.1 - Emergency; 5.1.2, 5.1.4 - Section; 1.3 <p>Synchronising; 11.1</p> <ul style="list-style-type: none"> - Auto; 11.4 - Check-Synchronising Unit; 11.3 - With the aid of Lamps; 11.5 - Manual; 11.2 <p>Synchronous</p> <ul style="list-style-type: none"> - Compensator; 7.13.2 - Condenser; 7.13.4 - Motor; 18.8 - Motor Starting; 18.8.2 <p>Synchroscope; 10.15</p>

Addendum

Index of Key Words and Phrases

T	
<p>Tachometer, Electric; 10.17</p> <p>Tankscope; 25.2</p> <p>Temperature</p> <ul style="list-style-type: none"> - Coefficient; 15.3 - Controllers, Automatic; 26.12.7 - Hot; 16.8 - Hot spot; 1.5 - Ratings; 16.6 - Rise; 16.7 <p>Thermal runaway, detecting and handling; 22.18.1</p> <p>Thrust</p> <ul style="list-style-type: none"> - Control; 18.14.12.2 - Reduction Unit; 18.14.10.3 <p>Thruster</p> <ul style="list-style-type: none"> - Azimuth; 18.14 - For Booster Propulsion; 18.14.8 - FPP; 18.14 - Propulsion Systems; 18.14 - Rotatable; 18.14.9 - Tunnel; 18.14.14 	<p>Torque, instantaneous; 10.9</p> <p>Transformer</p> <ul style="list-style-type: none"> - All-day Efficiency; 17.12 - Basic Operation of a; 17.1 - Components; 17.2 - Core; 17.2 - Effect of a Load; 17.10 - Feeders; 17.19 - Fixed Ratio Auto; 17.16.1 - Instrument; 17.17 - Isolation; 17.15 - Losses; 17.11 - Ratings; 17.3 - Variable Ratio Auto; 17.16.2 <p>Transient</p> <ul style="list-style-type: none"> - Sources, Other; 14.7.3 - Voltage Dip and Alternator Response; 9.7 <p>- True Value; 10.2.8</p>
U	
Under-compounded; 8.14.5	Under-compounding; 8.14.5
V	
Vacuum Pressure Impregnation; 7.6.1.1	Voltage Ramp; 13.10.2.6
W	
<p>Ward-Leonard System</p> <ul style="list-style-type: none"> - Deck Machinery; 20.3 and 20.4.2.2 <p>Water-tight Doors; 26.8</p> <p>Wildcat; 20.1.3</p> <p>Windlass</p> <ul style="list-style-type: none"> - All-Electric; 20.1.5 - Anchor; 20.1 	<p>Windlass (continued)</p> <ul style="list-style-type: none"> - Horizontal; 20.1.1 - Vertical; 20.1.3 <p>Wire</p> <ul style="list-style-type: none"> - Braid; 16.12 - Size; 15.4 to 15.6

Addendum **Index of Key Words and Phrases**

Y
Yokes; 17.2.1
Z
Zone; 3.1.1