

Addendum **Index of Figures**

Chapter 1 – Overview of a Ship’s Electrical System		
Figure No.	Details	Page No.
1.1	The Marine Environment	1
1.2	Degrees of Freedom of a Ship at Sea	3
1.3	A Basic Motor Control Centre (MCC) or Group Starter Panel (GSP)	16
1.4	Inside a Basic Motor Control Centre or Group Starter Panel	17
1.5	A Modern Ship’s Typical Electrical System	19
1.6	Dimensioning the Electrical Network	20
1.7	A Basic Power Management System	23
1.8	A Modern Power Management System	24
1.9	Block Diagram of a Ship’s Electrical System	31
1.10	A Typical Electrical System Diagram	32
1.11	Circuit Diagram of a Direct-on-Line Motor Starter with Local, Remote and Automatic Options	35
1.12	Wiring Diagram of the Motor Starter in Figure 1.11	37
1.13 (a)	A Wiring Diagram of a Motor’s Main Contactor Using the Cartesian Coordinate System	38
1.13 (b)	The Wiring Diagram of the Motor’s “Run” (Green Lamp - GL) Circuit Using the Cartesian Coordinate System	39
1.14	Sectional (Three-dimensional) View of a Brushless Alternator	39

Chapter 2 – Electrical Safety		
Figure No.	Details	Page No.
2.1	Common Circuit Faults	57
2.2	Fool-proof Locks and Tags to be used after Locking Out	60
2.3	Caution for Rotating Machinery	61
2.4	Current Paths in General	77

Chapter 3 – Electrical Equipment for Hazardous Areas		
Figure No.	Details	Page No.
3.1	General Tanker Arrangement Showing Hazardous Areas and Normally Safe Areas	89
3.2	Examples of Confined Spaces	90
3.3	Flammability Composition for Hydrocarbon Gas	94
3.4	Nameplate for Equipment Used in Hazardous Areas	97
3.5	The Dust Explosion Pentagon	99

Addendum

Index of Figures

Chapter 3 – Electrical Equipment for Hazardous Areas (Continued)		
Figure No.	Details	Page No.
3.6	Flameproof (Explosion proof) Enclosures	104
3.7	Pressurised Apparatus with Leakage Compensation Enclosure without Rotating Parts	109
3.8	Pressurised Apparatus with Leakage Compensation Rotating Electrical Machine with an Internal Fan	109
3.9	Pressurised Apparatus with Leakage Compensation Rotating Electrical Machine with an External Fan	110
3.10	A Basic Intrinsically-safe Circuit	113
3.11	Components in a Basic Intrinsically-safe Circuit	114
3.12	A Zener or Shunt-diode safety Barrier	115
3.13	An Active or Transformer Isolation Barrier	118
3.14	A Non-Sparking Fan used in Hazardous Areas	124

Chapter 4 – AC Distribution Systems		
Figure No.	Details	Page No.
4.1	Single-Phase 2-Wire System	128
4.2	Single-Phase 3-Wire System	128
4.3	Three-Phase 3-Wire System – Delta Connected	129
4.4	Three-Phase 3-Wire System – Star Connected	129
4.5	Three-Phase 4-Wire System – Star Connected	130
4.6	8-Nodes Star Network	133
4.7	Bus Bar-type Network	133
4.8	Cross-linked-type (Unconstrained) Network	134
4.9	A Ship's Typical Electrical Distribution System	135

Chapter 5 – Emergency Power and Shore Supply		
Figure No.	Details	Page No.
5.1	An Emergency Generator	144
5.2	A Basic Hydraulic Starter for an Emergency Generator	147
5.3	A Basic Emergency Power Supply System	152
5.4	An Emergency Generator's Manual and Automatic Starting Flow Chart	153
5.5	The Starting and Start-failure Logic of an Emergency Generator	154
5.6	The Basic Safety Shutdown Logic of an Emergency Generator	155
5.7	An Emergency Generator's Routine Testing Flow Chart	156
5.8	Shore Supply Arrangement	162

Addendum

Index of Figures

Chapter 6 – Isolated and Earthed Neutral Systems		
6.1	Isolated Neutral Systems with the Bodies of Equipment Grounded	172
6.2	Earthed Neutral Systems with the Bodies of Equipment Grounded	173
6.3	Significance of Earth Faults in an Earthed Distribution System	179
6.4	Single Earth Fault in an Isolated Neutral Distribution System	180
6.5	Double Earth Fault in an Isolated Neutral Distribution System	181
6.6	High Voltage System Earthing	182
6.7	Earth Fault Indicating Lamps	187
6.8	An Earth Fault Instrument	188
6.9	Monitoring of Earth Fault Currents in 3-phase Circuits	189
6.10	Direct Measurement of Leakage Current at the Neutral	190
6.11	Detection and Clearance of an Earth Fault - The First Step	192
6.12	An Analog Insulation Monitor's Indicator by Toyo Keiki	193
6.13	Detection and Clearance of an Earth Fault - The Second Step	194

Chapter 7 – Alternators		
Figure No.	Details	Page No.
7.1	Fleming's Right Hand Rule	200
7.2	The Elementary Alternator	201
7.3	The Elementary Generator's Sine Wave Output (Rotating Armature)	202
7.4	A Simple Rotating Field Alternator	205
7.5	Stator Construction	207
7.6	Cross-section of a Semi-enclosed Stator Slot and Winding	207
7.7	Bar-type Stator Conductors in Open Slots	208
7.8	EMF Generation in a Rotating Field Alternator	210
7.9	A Cylindrical or Turbo Alternator	211
7.10	High Speed Salient Pole Rotors	213
7.11	Slow Speed Salient Pole Rotors	214
7.12	A Brushless Alternator's Circuit, Terminal Plate and Rectifier	215
7.13	Exploded View of a Brushless Alternator	216
7.14	Sectional (Side) View of a Brushless Alternator	216
7.15	Flange-mounted Sleeve Bearing	221
7.16	Integral Pedestal Sleeve Bearing	222
7.17	Cross-sectional view of an Induction Generator	224
7.18	The Terminal Voltage-Current Characteristic of an Induction Generator for a Load with a Constant Lagging Power Factor	225

Addendum **Index of Figures**

Chapter 7 – Alternators (Continued)		
Figure No.	Details	Page No.
7.19(a)	The Torque-speed Characteristic Curve of an Induction Machine	226
7.19(b)	The Torque-speed Relationship in the Three Regions	226
7.20	Air-to-Water Closed Circuit Cooling	231
7.21	Air-to-Air Closed Circuit Cooling	232
7.22	A Conventional Shaft Generator System	235
7.23(a)	A Shaft Generator with a Static Frequency Converter	236
7.23(b)	A Shaft Generator cum Take Home Propulsion Motor Layout	237
7.24	A Three Phase Rectifier and its Associated Wave-forms	238
7.25	Power Factor Correction (Phasor Diagram) Using a Synchronous Motor	240
7.26(a)	Phasor Diagram for an Unloaded Synchronous Motor	241
7.26(b)	A Synchronous Motor	241
7.27	Large Slow-speed Main Engine with an Alternator at the Non-driving End	242
7.28	Generator Drive from the Intermediate Shaft	242
7.29	Generator Driven by Power Take-off from the Main Engine	243
7.30	Exhaust Gas Turbo-generator System	244
7.31	An Electrically Coupled System	244
7.32	Shaft Generator Supplying a High-voltage System for a Dredger	247
7.33	Alternator Starting and ACB Closure onto a Dead Bus Bar	249
7.34	A Local Starting Panel and an Air-Starting Motor for the Alternator	250
7.35	Effects of Harmonics on Current Waveform	252

Chapter 8 – Direct Current Machines		
Figure No.	Details	Page No.
8.1	Commutator and Brush Assembly	259
8.2	DC Machine Construction	260
8.3	A Four pole Generator	261
8.4	Armature and Commutator in a Two Pole Machine	262
8.5	The Commutator's Role	263
8.6	Flux Distribution in a DC Generator	265
8.7	Reduced Pole Tip Area	266
8.8(a)	Compensating Windings	267
8.8(b)	Pictorial View	267
8.9(a)	Interpole Principles	267

Addendum

Index of Figures

Chapter 8 – Direct Current Machines (Continued)		
Figure No.	Details	Page No.
8.9(b)	Pictorial View of Interpoles	267
8.10	Commutation in a DC Generator	269
8.11	Series Wound Generator	271
8.12	Shunt Wound Generator	273
8.13	Shunt Generator External Characteristics	275
8.14	Compound Wound Generator	280
8.15	Compound Wound Generator - Long Shunt Type	278
8.16	Field Winding Terminal Markings	276
8.17	Compound Generator's External Characteristics	281
8.18	Compounding Adjustment with the Diverter	281
8.19	Series Resistance Control of Shunt and Compound Wound DC Generators	283
8.20	Hand operated Shunt Field Rheostat	284
8.21	Schematic Diagrams of DC Motors	287
8.22	Lines of Force in a Magnetic Field	288
8.23	Sectional View of a DC Motor	288
8.24	Field and Armature Magnetic Lines of Force (Combined)	289
8.25	Armature Reaction in a Motor	292
8.26	A Shunt Motor's Circuit	294
8.27	A Shunt Motor with Full Field Resistance	296
8.28	A Series-wound Motor	297
8.29	Types of Compound Motors	299
8.30	Separately Excited Motor	300
8.31	Reversing DC Motors	301
8.32	Dynamic Braking Circuit	302

Chapter 9 – Automatic Voltage Regulators and Exciters		
Figure No.	Details	Page No.
9.1	Self-excitation System	308
9.2	PMG-excited AVR Controlled Generator	309
9.3(a)	Static Automatic Voltage Regulator	311
9.3(b)	Characteristic of a Zener Diode	312
9.4(a)	A Thyristor-controlled Static Excitation System	313

Addendum **Index of Figures**

Chapter 9 – Automatic Voltage Regulators and Exciters (Continued)		
Figure No.	Details	Page No.
9.4(b)	Static Excitation AVR Circuit with a Thyristor and Saturable Reactor	314
9.4(c)	Role of the Thyristor	315
9.5	An Alternative Circuit of a Thyristor-controlled Static Excitation System	317
9.6	Typical Direct-feed Thyristor AVR	318
9.7	Transformer-based Static Excitation System	320
9.8	Typical Voltage Dip / Recovery Pattern for an Alternator	321
9.9	Comparison of Voltage Dip / Recovery Pattern for Different Excitation Systems	322
9.10	Variation of Excitation at Constant Voltage	323
9.11	Variation of Voltage at Constant Excitation	323
9.12	Exertion of Torque on the Rotor Due to the Stator Field	325
9.13	Governor Characteristic	325
9.14	Opposition of the Stator & Rotor Fields	326
9.15	The UFRO Control Potentiometer Sets the Knee Point	328
9.16	Dip Function Potentiometer Adjustment	330
9.17	Dwell Function	331
9.18	Effect of Droop in a Two-generator System	332
9.19	Block Diagram of a Modern AVR	334

Chapter 10 – Fixed and Portable Instrumentation		
Figure No.	Details	Page No.
10.1	A Moving Coil in a Magnetic Field - No Current Flow	345
10.2	A Moving Coil in a Magnetic Field - Current Flowing	345
10.3	Basic Arrangement in a PMMC Meter	346
10.4	D'Arsonval Movement in a PMMC Meter	347
10.5	Power Measurement in DC Circuits (Variant 1)	348
10.6(a)	Power Measurement in DC Circuits (Variant 2)	349
10.6(b)	The Magic Circle	349
10.7	Power Measurement Using Instrument Transformers	353
10.8	The Basic Electrodynamometer	354
10.9	Circuit of an Electrodynamometer Wattmeter	355
10.10	Variation of Mutual Induction with Deflection	357
10.11	Two Wattmeter Method – Star Connection	359

Addendum

Index of Figures

Chapter 10 – Fixed and Portable Instrumentation (Continued)		
Figure No.	Details	Page No.
10.12	Phasor Diagram for a Star-connected Load	360
10.13	Two Wattmeter Method – Delta Connection	362
10.14	Three-phase Two Element Wattmeter	363
10.15	The Power Triangle	364
10.16	Phasor Diagram	366
10.17	A Three-phase Electrodynamicometer-type Power Factor Meter	367
10.18	Phasor Diagram for Figure 10.17	367
10.19	Phasor Diagram for Figure 10.20	369
10.20	Three-Phase Moving Iron Power Factor Meter	370
10.21	Vibrating Reed Frequency Meter	371
10.22	Frequency versus Amplitude	372
10.23	Indications from Vibrating Reeds	373
10.24	Electrodynamicometer-type Frequency Meter	374
10.25	Schematic Diagram of Measuring Instruments on a Switchboard	375
10.26	A Simple Weston-type Synchroscope	377
10.27	An Improved Version of the Weston Synchroscope	378
10.28	Phasor Diagrams for Different Conditions of the Bus bar and Incoming Voltages	379
10.29	Dial of a Weston Synchroscope	380
10.30	Alternative Arrangement (Circuit) in a Synchroscope (Instrument Transformers not shown)	380
10.31	Schematic Diagram of an LED Synchroscope	381
10.32	The Rear Panel of an LED Synchroscope and the Relay Connection	382
10.33	Dial of a Rotating-type Phase Sequence Indicator	383
10.34	Static-type Phase Sequence Indicator	384
10.35	The DC Tachometer	385
10.36	The Drag Cup Tachometer (AC)	386
10.37	The Electronic Speed Relay	387
10.38	The Front Panel of the TEMM4 Electrical Multimeter	388
10.39	The Rear Panel of the TEMM4 Electrical Multimeter	389
10.40	Three-phase Wiring with 4 Wires	389
10.41	Three-phase Wiring with 3 Wires and 2 VTs with 2 CTs	390
10.42	Voltage Wiring with 3 VTs	390
10.43	Digital and Analog Multimeters	393

Addendum **Index of Figures**

Chapter 10 – Fixed and Portable Instrumentation (Continued)		
Figure No.	Details	Page No.
10.44	Block Diagram of a Digital Multimeter	394
10.45	Analog and Digital Clamp Meters	397
10.46	A 500V Portable Megger and its Basic Constructional Features	398
10.47	Cross-Sectional Representations of Wire Coils	399
10.48	Connection of Coils in a Megger	400
10.49	“Open Circuit” Indication	400
10.50	Circuit of an Earth Leakage Tester	402
10.51	Measuring the Insulation of a 2-core Cable	402
10.52	An Equivalent Circuit	402
10.53	Using All Three Leads	404
10.54	Schematic Diagram for Figure 10.53	404

Chapter 11 – Paralleling of Alternators		
Figure No.	Details	Page No.
11.1	A Basic Synchronising Circuit	410
11.2(a)	The Four Basic Stages of Synchronising	413
11.2(b)	Diesel - driven Alternator Starting / Synchronising (Manual Operation)	414
11.3	Automatic Synchronising	416
11.4(a)	Diesel-Driven Alternator Starting / Synchronising (Manually Initiated Sequential Operation)	417
11.4(b)	Diesel-Driven Alternator Starting / Synchronising (Automatic Operation)	418
11.4(c)	A Synchronising Panel on an Older Vessel	419
11.4(d)	A Synchronising Panel on a Tanker	420
11.5	Arrangement of Synchronising Lamps	422
11.6	Phasor Rotation while Synchronising	422
11.7	Synchronising Instruments	423
11.8	Excitation Control Phasors	426
11.9		429
11.10	Throttle Control Phasor Diagrams	429
11.11		429
11.12	Shifting of the Speed-load Characteristic	432
11.13(a)	Load Sharing of Two Alternators	433
11.13(b)	kW Load Sharing Characteristics Plotted Back-to-Back	437
11.14	kvar Load Sharing (Back to Back)	438

Addendum

Index of Figures

Chapter 11 – Paralleling of Alternators (Continued)		
Figure No.	Details	Page No.
11.15	kVAr Load Sharing (Plot Not to Scale)	439
11.16	Speed Control System	440
11.17	Speed Control Adjustments	442
11.18	Load Matching Circuit and Load Amplifier Circuit	442
11.19	Load Gain and Droop Potentiometers	443
11.20	3% Droop Curve	445
11.21	5% Droop Curve	446
11.22	Response Curve of an Isochronous Governor	446
11.23	Response Curves of a Droop Governor	447
11.24	Comparison of 3% and 5% Droop Speed Settings for 50% and 100% Load	448
11.25	Speed Setting for 3% and 5% Droop at 70% Load	449
11.26	Use of Isochronous and Droop Units on an Isolated System	450

Chapter 12 – Switchboards and Switchgear		
Figure No.	Details	Page No.
12.1	Typical Layout of a Main Switchboard	456
12.2	Layout of a Main Switchboard in the Machinery Control Room	458
12.3	Close-Up View of a More Recent Main Switchboard	459
12.4	An Isolating Link in a Busbar Section of an Older Switchboard	460
12.5	A Group Starter Panel for an Engine Room's Machinery	461
12.6	Busbars in a Switchboard	464
12.7	The Basic Busbars in a Switchboard	465
12.8	A Generator Control Panel on an Older Vessel	467
12.9	A Generator Status Panel (for One Generator) on a Tanker	468
12.10	A Generator Control Panel (for One Generator) on a Tanker	469
12.11	The Basic Interlocks to Close an ACB And to Initiate the Auto Synchronising of a Second Generator	475
12.12	A Basic Air-break Circuit Breaker (ACB) for Alternators	477
12.13	Sectional View of an Air Circuit Breaker	478
12.14	Pictorial Diagram of a modern Air Circuit Breaker	481
12.15	Circuit Breaker Positions	482
12.16	A Compact Vacuum Circuit Breaker and its Auxiliary Contacts	483
12.17	Dielectric Strength versus Pressure for Air, Oil and SF ₆	485

Addendum

Index of Figures

Chapter 12 – Switchboards and Switchgear (Continued)		
Figure No.	Details	Page No.
12.18	A Moulded Case Circuit Breaker	486
12.19	MCBs of the Single and Double-Pole Types	488
12.20	A Miniature Circuit Breaker (MCB) Operating During a Short-Circuit	489
12.21	Residual Current Circuit Breakers – 4-Pole and 2-Pole	490
12.22	A Ground Fault Current Interrupter and its Associated Circuit	491
12.23	An Arc Fault Current Interrupter	492

Chapter 13 – Starters for Alternating Current Motors		
Figure No.	Details	Page No.
13.1(a)	A Squirrel Cage Rotor and the Bars with the End Rings	499
13.1(b)	Cutaway View of an Induction Motor	500
13.2	Breakaway Starting Current of Standard Motors - as a Multiple of the Rated Operational Current	502
13.3	Typical Starting Current Curve (as a Multiple of Rated Operating Current) as a Factor of Rotational Speed of Squirrel Cage Motors	503
13.4	Standard Values for Run-up Times of Standard Motors as a Function of Rated Power	505
13.5	Power and Control Circuits of a Direct-on-line Starter	507
13.6	Remote Control Circuit for a Direct-on-line Starter	508
13.7	A Direct-on-line Starter's Circuit for a Pump	510
13.8	Overhead Crane Arrangement	512
13.9	An Engine Room Crane's Basic D.O.L. Power Circuit and Brake	514
13.10	Control Circuit for the Engine Room Crane in Figure 13.9	515
13.11	The Dreggen AS Engine Room Crane in Operation	515
13.12	Variation of Current with Speed in Star and Delta-connected Windings	518
13.13	Variation of Torque with Speed in Star and Delta-connected Windings	519
13.14	A Basic Star – Delta Starter – without Interlocks	520
13.15	Switch-over Pause too short – Short-circuit across the Arc	521
13.16	Switch-over Pause too long – Shaft Speed Drops Off	522
13.17	Correct Wiring of Motor Phases for Clock-wise Rotation	523
13.18	Incorrect Wiring of Motor Phases – also Causes Clock-wise Rotation	524
13.19	Correct Wiring of Phases for Counter-clockwise Rotation	525
13.20(a)	Star-Delta Starter with a Fusible Isolator (Power Circuit)	528
13.20(b)	Control Circuit – Star-Delta Starter with Fusible Isolator	529

Addendum **Index of Figures**

Chapter 13 – Starters for Alternating Current Motors (Continued)		
Figure No.	Details	Page No.
13.21(a)	Star-delta Starter for a Ballast Pump's Motor	532
13.21(b)	Star-delta Configuration	532
3.21(c)	A Δ - Δ Timer	532
13.21(d)	Star-delta Starter for a Forced Draft Fan of an Auxiliary Boiler	534
13.22(a)	Comparison of Direct-on-line and Star-Delta Characteristics (Torque versus Speed)	535
13.22(b)	Load Characteristics for a Direct On Line Asynchronous Motor with Load Curves for a CPP Propeller	536
13.22(c)	Comparison of Direct-on-line and Star-Delta Characteristics (Current versus Speed)	536
13.23	Comparison of Motor Starting Characteristics (Torque versus Slip)	538
13.24	Comparison of Motor Starting Characteristics (Current versus Slip)	539
13.25	Autotransformer Starter	540
13.26	A Basic (Older) Circuit of Slip Ring Induction Motor's Starter	543
13.27	The Power Circuit of a Modern Slip Ring Induction Motor's Starter	544
13.28	The Control Circuit for a Modern Slip Ring Induction Motor's Starter	545
13.29	Basic Diagram and Components of the Soft Starter Utilizing 6 Thyristors	550
13.30	Basic Diagram of the Soft Starter Utilizing Three Thyristors and Three Diodes	551
13.31	Effect of Ramp Time on Speed-Torque Characteristics of a Soft Starter	552
13.32	Typical Torque-Speed Characteristics for an Electronic Starter	553
13.33	Timed Voltage Ramp	555
13.34	Torque-speed Curve when using a Soft Starter	557
13.35	Start Ramp, Stop Ramp and Initial Voltage	560
13.36	Current Limits in a Soft Starter	560
13.37	Current Limit Function in Soft Starter use	561
13.38	Curve showing the Step-down Voltage Function	561
13.39	Main and Supply Voltages	563
13.40	Main and Control Voltages	563
13.41	A Basic Control Circuit of a Soft Starter	563
13.42(a)	Soft Starter connected in a Reversible Motor Circuit	565
13.42(b)	Settings for the Soft Starter connected in a Reversible Motor Circuit	565
13.43(a)	Automatic Starting of a Standby Pump's Motor	567
13.43(b)	A Basic Sequential Starter Circuit	567
13.44	Synchronous Speed versus Rated Speed:	569
13.45	Star Connections for Speed Variation	571
13.46	Delta Connections for Speed Variation	572
13.47	A Single-line diagram of a VFD in a Motor's Starter Circuit	573

Addendum

Index of Figures

Chapter 14 – Fault Protection Devices		
Figure No.	Details	Page No.
14.1	Frayed Insulation Causing a Direct Short (or Bolted Short Circuit)	578
14.2	Voltage with Surge – even small sustained surges can cause damage	585
14.3	Protection Features of a Typical Marine Electrical System (AC)	590
14.4	Block Diagram of an Electronic Over Current Relay	592
14.5	Circuit Diagram of an Electronic Over Current Relay	592
14.6	Overload and Preference Trips	595
14.7	Voltage Conditions	601
14.8	A Reverse Power Relay	602
14.9	Cartridge Fuses	609
14.10	The Enclosed Fuse	610
14.11	Diased (Bottle) Fuses	612
14.12	Neozed Fuses	615
14.13	NH Fuses	617
14.14	A SITOR Fuse and the Element (enlarged)	617
14.15	A High Rupturing Capacity Fuse	618
14.16	Inverse Time-Current Curve for a 30A HRC Fuse (Not to Scale)	619
14.17	A Silized™ Semiconductor Fuse	620
14.18	Screw Caps	621
14.19	Fuse Link Rating for Motor Short-circuit Protection in DOL Starters	623
14.20	Protection Discrimination	628
14.21	Selective Coordination by Circuit Breakers	629
14.22	Inverse Characteristic Curve for the Tripping of Back-up Fuses	631
14.23	Open Circuit Fault in a Motor's Supply Circuit	633
14.24	Full-load Healthy Condition	635
14.25	Half-load Single-phase Condition	635
14.26	Principle of Operation of a Thermal OCR on Overload	637
14.27	PTC Thermistor Curve (Resistance versus Temperature)	639
14.28	Typical Circuit Involving Thermistors for Protection	640
14.29	Physical Specifications	641

Addendum

Index of Figures

Chapter 15 – Electric Cables		
Figure No.	Details	Page No.
15.1	Cable Cores	650
15.2	An American Wire Gauge	656
15.3	Cable Testing	656

Chapter 16 – Insulation and Ingress Protection		
Figure No.	Details	Page No.
16.1	Reduction in Insulation Life due to High Temperatures	672
16.2	Temperature versus Life Span	677
16.3	A Cable's Sheath	685
16.4	Cable Glands	689
16.5	Cable Terminals	680
16.6	Reefer Plugs and Connectors	691

Chapter 17 – Transformers		
Figure No.	Details	Page No.
17.1	Basic Operation of a Transformer	698
17.2	Hollow Laminated Core of a Transformer	700
17.3	Hollow Laminated Core of a Transformer with Windings	701
17.4	Shell-type Core Construction	701
17.5	Exploded View of a Shell-type Transformer	702
17.6	A Step-down Transformer	702
17.7	The Dot Convention	703
17.8	No-load Condition of a Transformer	706
17.9	Three-phase Lighting Transformer – 3 -Wire $\Delta - \Delta$ Connection	713
17.10	$\Delta - \Delta$ Transformers with one unit disconnected	714
17.11	Three-phase Lighting Transformer – Delta-Star Connection	715
17.12	The Fixed Ratio Auto-transformer	720
17.13	The Variable Ratio Auto-transformer	721
17.14	Pictorial Views of Instrument Transformers	722
17.15	Instrument Transformers in a Basic (Wattmeter) Circuit	723
17.16	Bar-primary Current Transformer in a Switchboard	725

Addendum

Index of Figures

Chapter 18 – Electrical Propulsion Systems		
Figure No.	Details	Page No.
18.1	Machinery Arrangement – Conventional Propeller	730
18.2	Thruster Propulsion System	731
18.3	Machinery Arrangement in a Thruster Propulsion System	731
18.4	Basic Turbo-Electric Propulsion System	740
18.5	Basic Schematic Diagram of a Turbo-Electric Propulsion System	741
18.6	Phasor Diagram – Overcoming No-load Losses	743
18.7	Phasor Diagram from Bus-bar Point of View	744
18.8(a)	Basic Two-pole, Poly-phase Synchronous Motor	745
18.8(b)	Speed Torque Characteristic	747
18.9	Equipment Onboard an Offshore Emergency and Supply Vessel	749
18.10	Schematic Diagram of a Synchronous Motor-based Propulsion System	750
18.11	Schematic Diagram of a Cycloconverter-based Propulsion System	751
18.12	Frequency Change Using a Cycloconverter	752
18.13	Schematic Diagram of a Diesel-electric Propulsion System on a Passenger Ship	753
18.14	The Propeller Drive with a Cycloconverter (SIMAR Drive Cyclo)	755
18.15	Propeller Drive for an Electronic Commutator (SIMAR Drive Synchro)	757
18.16	Schematic Diagram of a SIMAR Drive PWM	759
18.17(a)	Side View of the SSP Propulsor	763
18.17(b)	Rear View of the SSP Propulsor	764
18.17(c)	Podded Propulsion Systems	764
18.17(d)	Sectional View of the Mermaid Pod Propulsor	765
18.18	Typical Configuration for a Single Skeg LNG Carrier	767
18.19	Typical Configuration for a Twin Skeg LNG Carrier	768
18.20	Schematic Diagram of a Twin Skeg LNG Carrier's Propulsion System	768
18.21(a)	Shaft Motor Installed in the Shaft Line	770
18.21(b)	Shaft Motor Installed at the Non-drive End of a Main Engine	770
18.21(c)	High-speed Shaft Motor Connected via a Gearbox at the Non-drive End of a Main Engine	771
18.21(d)	High-speed Shaft Motor Connected via a Gearbox that is integrated in the Shaft Line	771
18.22	Thruster Machinery Concepts	777
18.23	Existing Single Screw with Additional Booster Thrusters	780
18.24	Speed Gain from Additional Thrusters	781
18.25	Electronic Control System Type TPC	782

Addendum

Index of Figures

Chapter 18 – Electrical Propulsion Systems (Continued)		
Figure No.	Details	Page No.
18.26	Indication of Thrust / Pitch and Backup Control	784
18.27(a)	Tunnel (Bow) Thrusters	790
18.27(b)	Sectional Views of the Prototype of a Modern Tunnel Thruster Using a Synchronous Motor with a Permanent Magnet Rotor	790
18.27(c)	Side Thruster on a Liquefied Natural Gas Carrier	792
18.28	Voith-Schneider Propulsion Unit	793
18.29	The Active Rudder	794
18.30	Elements of a Dynamic Positioning System	796
18.31	SSBL Principles	799
18.32	Taut Wire Principle	800
18.33	The LBL System	801
18.34	The Kamewa Water Jet – S Series	803
18.35	The Kamewa Water Jet – FF Series	803
18.36	The SCHOTTEL Pump-Jet	804
18.37	The Double Stern Unit	806
18.38	The Double Bow Unit	807

Chapter 19 – Steering and Stabiliser Systems		
Figure No.	Details	Page No.
19.1	AutoNav's Steering Console	815
19.2	Non-follow up Control Diagram of a Rudder	816
19.3	Two-ram Electrically-controlled, Hydraulically-operated Steering System	819
19.4	Electronic Steering Control - Manual Mode	824
19.5	Electronic Steering Control – Auto-pilot Mode	826
19.6	Anschütz Auto Steering	929
19.7	Steering Control System – NautoSteer	830
19.8	Rudder Angle Indicator and Tiller	831
19.9	FU Hand-wheel Unit	831
19.10	FU Tiller	831
19.11	Follow-up (FU) Amplifier	832
19.12	Feedback Unit	832
19.13	Solenoid Valve with On / Off Functions	832
19.14	NFU Hand-wheel Unit	832

Addendum

Index of Figures

Chapter 19 – Steering and Stabiliser Systems (Continued)		
Figure No.	Details	Page No.
19.15	NFU Tiller	832
19.16	An Analog Amplifier in a Proportional Steering Control Chain	832
19.17	Steering Mode Selector Switch	833
19.18	Rudder Position Indicators	833
19.19	Universal Signal Device	834
19.20	Override Control	834
19.21	Monitoring System	834
19.22	Emergency Controls	835
19.23	The Three-framed Gyroscope	840
19.24	Fluid-filled Flux Gate Compass	849
19.25	Rudder Position Indicators	850
19.26	Two-element Synchro Chain (Initial Position of the Synchro Transmitter and Receiver)	853
19.27	Torque Transmitter	854
19.28	A Conceptual Diagram of a Stabiliser	857
19.29	The Stabiliser and Ships on which the Gyrofin Stabiliser is fitted	858
19.30	A Typical Gyrofin Installation	860

Chapter 20 – Deck Machinery		
Figure No.	Details	Page No.
20.1	Pictorial Diagram of a Windlass	866
20.2	A Typical Electric Windlass	866
20.3	Schematic Diagram of a Horizontal Electro-hydraulic Windlass	867
20.4	Layout of Mooring Winches and Windlasses on a VLCC	868
20.5	Remote Control Panel on a VLCC	871
20.6	Schematic Diagram of a Vertical Electro-hydraulic Windlass	872
20.7	Pictorial Diagrams of Figure 20.6	873
20.8	A Band Brake	874
20.9	Limit Switch on a Winch	876
20.10	Deck Cranes	878
20.11	Major Components in Deck Cranes	879
20.12	The Control Panels of another Variant of a Deck Crane	884
20.13	A Slack-rope Device	886

Addendum **Index of Figures**

Chapter 21 – Control of Air Compressors		
Figure No.	Details	Page No.
21.1	A Basic High Pressure Non-Oil-Free Compressor System	915
21.2	Automatic Operation of a Compressor - The Basic Circuit	921
21.3	Schematic Diagram of Automatic Operation	924
21.4	Main Air Compressor Control Circuit	925
21.5	Absorption-type Air Drier	931

Chapter 22 – Batteries and Battery Charging		
Figure No.	Details	Page No.
22.1(a)	Calculation of Internal Resistance	912
22.1(b)	Change in Internal Resistance with Voltage	913
22.2	The Two Basic Types of Batteries	914
22.3	Classification of Lead Acid Batteries	915
22.4	A Wet or Flooded Lead Acid Cell	916
22.5	Arrangement of 6 Cells to Form a 12 V Battery	917
22.6	Separators in a Wet Cell	919
22.7	The Valve Regulated Lead Acid Battery	922
22.8	The Absorbed Glass Mat Battery	923
22.9	Variation of Potential Difference on Charge and Discharge	927
22.10	Voltage-Time Curves	928
22.11	Variation of Capacity with Discharge Rate	929
22.12	A Nickel Cadmium Cell	935
22.13	A Sealed Nickel-Cadmium Cell	937
22.14	A Basic Circuit of a Constant Current System	943
22.15	A Basic Circuit of a Constant Voltage System	944
22.16	Battery Charging with DC Supply	950
22.17	Battery Charging from AC Supply	951
22.18	Emergency Battery Circuit	952
22.19	Functional Diagram of a Smart Charger	957
22.20	A VLCC's Battery Charger's Monitoring Panel	958
22.21	A Modern Battery Charging System on a VLCC	959
22.22	Block Diagram of the Battery Charger	960
22.23	A Basic Battery Charger and Distribution Board	961

Addendum **Index of Figures**

Chapter 23 – Lighting Systems		
Figure No.	Details	Page No.
23.1	Ordinary Filament Lamp (General Lighting Service Lamp)	980
23.2	Linear Double-ended Tungsten-Halogen Lamp	982
23.3	Low-pressure Mercury Fluorescent Lamp	983
23.4	Typical Glow-starter Switch Circuit	985
23.5	Transformer Quick-start Circuit	986
23.6	High Pressure Mercury Fluorescent Lamp Circuit	987
23.7	Low Pressure Sodium Vapour Lamp Circuit	988
23.8	High Pressure Sodium Vapour Lamp Circuit	989
23.9	Common Shapes of Lamp Caps	991
23.10	A Basic Double Navigation Light Schematic Circuit (Energised)	994
23.11	Alternative Navigation Light Circuit (Energised)	995
23.12	A Navigation Light Circuit (De-energised)	996
23.13	Basic Emergency Lighting Circuit	999

Chapter 24 – Alarm Indication Systems		
Figure No.	Details	Page No.
24.1	The Bi-metallic Detector	1009
24.2	Upper and Lower Limits of Response Time	1010
24.3	Rate of Rise-type Fire Detector (Pneumatic Type)	1011
24.4	The Rate of Rise Detector (Bi-metallic Strip Type)	1012
24.5	Ionization Chamber of the Combustion Detector	1013
24.6	Principle of Operation of the Ionization Chamber	1014
24.7(a)	Infra-red Flame Detector	1016
24.7(b)	Ultra-violet Flame Detector	1016
24.7(c)	Flame Detector Housing	1016
24.8	A Modern Fire Alarm Panel and a General Alarm Bell	1018
24.9	A Modern Fire Detection System's Panel	1019
24.10	Loop A of the Fire Alarm System	1020
24.11	Loop F of the Fire Alarm System	1022
24.12(a)	Foam Pump	1024
24.12(b)	Foam Pump Starter	1024
24.13	A CO ₂ Fire Extinguishing System including Smoke Detector Installation	1025

Addendum **Index of Figures**

Chapter 24 – Alarm Indication Systems (Continued)		
Figure No.	Details	Page No.
24.14	CO ₂ Cabinet Door Alarm	1026
24.15	Overview of the Supervisory Control System	1029
24.16	Stages Leading to an Explosion Due to Oil Mist	1035
24.17	A Basic Crankcase Oil Mist Detector	1036
24.18	Comparison-type Crankcase Oil Mist Detector	1038
24.19	Alternative Circuit of a Comparison-type Crankcase Oil Mist Detector	1039
24.20	Line of Sight Smoke / Oil Mist Detector	1040
24.21	Main Unit in the ECR	1044
24.22	On / Off and Accept Unit In the Engine Room	1044
24.23	Bridge Unit in the Wheel House	1044
24.24	Overall System Diagram	1051
24.25	A Sound-powered Telephone	1057

Chapter 25 – Gas Analysers		
Figure No.	Details	Page No.
25.1	Combustible Gas Indicator	1064
25.2	Two Variants of Combustible Gas Indicators	1065
25.3	The Flow System in a Tankscope	1069
25.4	A Tankscope	1070
25.5	Circuit Diagram of a Tankscope	1071
25.6	The Thick Film	1074
25.7	The Sensor	1074
25.8	The NDIR500 CO and CO ₂ Analyser	1076
25.9	E-11 Draeger Oxygen Analyser	1079
25.10	Draeger Oxygen Analyser E-11 Probe (Electrolytic Cell)	1080
25.11	Sensitive Element of the Munday Cell	1083
25.12	Basic Circuit of the Munday Cell	1084
25.13	An Oxygen Analyser	1085
25.14	The Basic Device	1087
25.15	Construction of the Sensor	1087
25.16	The Device in use	1088

Addendum

Index of Figures

Chapter 26 – Miscellaneous Systems		
Figure No.	Details	Page No.
26.1	Detachment of Positive Charges	1092
26.2	Conversion of Hydrogen Ions to Hydrogen Atoms	1093
26.3	Anode and Cathode Occurrence on the Same Piece of Metal	1094
26.4	E Log I Diagram	1095
26.5	Voltages for Zinc and Silver With Respect To the Hull	1096
26.6	Sacrificial Anode System	1097
26.7	Sacrificial Anodes	1097
26.8	An Impressed Current System	1099
26.9	The Basic Circuit of an Impressed Current System	1099
26.10	An Impressed Current System's Insulated Anodes	1100
26.11	Layout of a Basic Impressed Current Cathodic Protection System	1100
26.12	Schematic Diagram of an Impressed Current Cathodic Protection System	1103
26.13	Example of System Components (Forward) and Remote Monitor	1104
26.14	Example of System Components (Aft)	1105
26.15	The MGPS Control Panel	1107
26.16	Piping and Instrumentation Diagram of the MGPS	1108
26.17	A Shaft Earthing Assembly	1110
26.18	Dionic Water Purity Meter	1111
26.19	The Basic Salinometer	1113
26.20	Heater Connections for Galley Plates	1116
26.21	A Watertight Door	1119
26.22	The Refrigeration Cycle (with a Water-Cooled Condenser)	1125
26.23	A Refrigeration System's Control Panel (with an Air-Cooled Condenser)	1127
26.24	A Refrigeration System's Basic Circuit (with an Air-Cooled Condenser)	1128