

# **Addendum**

## Index of Figures

<b>Chapter 1 – Overview of a Ship’s Electrical System</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
1.1	The Marine Environment	1
1.2	Degrees of Freedom of a Ship at Sea	3
1.3	A Basic Motor Control Centre (MCC) or Group Starter Panel (GSP)	16
1.4	Inside a Basic Motor Control Centre or Group Starter Panel	17
1.5	A Modern Ship’s Typical Electrical System	19
1.6	Dimensioning the Electrical Network	20
1.7	A Basic Power Management System	23
1.8	A Modern Power Management System	24
1.9	Block Diagram of a Ship’s Electrical System	31
1.10	A Typical Electrical System Diagram	32
1.11	Circuit Diagram of a Direct-on-Line Motor Starter With Local, Remote and Automatic Options	35
1.12	Wiring Diagram of the Motor Starter in Figure 1.11	37
1.13 (a)	A Wiring Diagram of a Motor’s Main Contactor Using the Cartesian Coordinate System	38
1.13 (b)	The Wiring Diagram of the Motor’s “Run” (Green Lamp - GL) Circuit Using the Cartesian Coordinate System	39
1.14	Sectional (Three-dimensional) View of a Brushless Alternator	39

<b>Chapter 2 – Electrical Safety</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
2.1	Common Circuit Faults	57
2.2	Fool-proof Locks and Tags to be used after Locking Out	60
2.3	Caution for Rotating Machinery	61
2.4	Current Paths in General	77

<b>Chapter 3 – Electrical Equipment for Hazardous Areas</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
3.1	General Tanker Arrangement Showing Hazardous Areas and Normally Safe Areas	89
3.2	Examples of Confined Spaces	90
3.3	Flammability Composition for Hydrocarbon Gas	94
3.4	Nameplate for Equipment Used in Hazardous Areas	97
3.5	The Dust Explosion Pentagon	98

# **Addendum**

## Index of Figures

<b>Chapter 3 – Electrical Equipment for Hazardous Areas (Continued)</b>		
Figure No.	Details	Page No.
3.6	Flameproof (Explosion proof) Enclosures	103
3.7	Pressurised Apparatus with Leakage Compensation Enclosure without Rotating Parts	108
3.8	Pressurised Apparatus with Leakage Compensation Rotating Electrical Machine with an Internal Fan	109
3.9	Pressurised Apparatus with Leakage Compensation Rotating Electrical Machine with an External Fan	109
3.10	A Basic Intrinsically-safe Circuit	112
3.11	Components in a Basic Intrinsically-safe Circuit	113
3.12	A Zener or Shunt-diode safety Barrier	114
3.13	An Active or Transformer Isolation Barrier	117
3.14	A Non-Sparking Fan used in Hazardous Areas	122

<b>Chapter 4 – AC Distribution Systems</b>		
Figure No.	Details	Page No.
4.1	Single-Phase 2-Wire System	126
4.2	Single-Phase 3-Wire System	126
4.3	Three-Phase 3-Wire System – Delta Connected	127
4.4	Three-Phase 3-Wire System – Star Connected	127
4.5	Three-Phase 4-Wire System – Star Connected	128
4.6	8-Nodes Star Network	131
4.7	Bus Bar-type Network	131
4.8	Cross-linked-type (Unconstrained) Network	132
4.9	A Ship's Typical Electrical Distribution System	133

<b>Chapter 5 – Emergency Power and Shore Supply</b>		
Figure No.	Details	Page No.
5.1	An Emergency Generator	142
5.2	A Basic Hydraulic Starter for an Emergency Generator	145
5.3	A Basic Emergency Power Supply System	150
5.4	An Emergency Generator's Manual and Automatic Starting Flow Chart	151
5.5	The Starting and Start-failure Logic of an Emergency Generator	152
5.6	The Basic Safety Shutdown Logic of an Emergency Generator	153
5.7	An Emergency Generator's Routine Testing Flow Chart	154
5.8	Shore Supply Arrangement	160

# **Addendum** **Index of Figures**

<b>Chapter 6 – Isolated and Earthed Neutral Systems</b>		
6.1	Isolated Neutral Systems with the Bodies of Equipment Grounded	170
6.2	Earthed Neutral Systems with the Bodies of Equipment Grounded	171
6.3	Significance of Earth Faults in an Earthed Distribution System	177
6.4	Single Earth Fault in an Isolated Neutral Distribution System	178
6.5	Double Earth Fault in an Isolated Neutral Distribution System	179
6.6	High Voltage System Earthing	180
6.7	Earth Fault Indicating Lamps	185
6.8	An Earth Fault Instrument	186
6.9	Monitoring of Earth Fault Currents in 3-phase Circuits	187
6.10	Direct Measurement of Leakage Current at the Neutral	188
6.11	Detection and Clearance of an Earth Fault - The First Step	190
6.12	An Analog Insulation Monitor's Indicator by Toyo Keiki	191
6.13	Detection and Clearance of an Earth Fault - The Second Step	192

<b>Chapter 7 – Alternators</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
7.1	Fleming's Right Hand Rule	198
7.2	The Elementary Alternator	199
7.3	The Elementary Generator's Sine Wave Output (Rotating Armature)	200
7.4	A Simple Rotating Field Alternator	203
7.5	Stator Construction	205
7.6	Cross-section of a Semi-enclosed Stator Slot and Winding	205
7.7	Bar-type Stator Conductors in Open Slots	206
7.8	EMF Generation in a Rotating Field Alternator	208
7.9	A Cylindrical or Turbo Alternator	209
7.10	High Speed Salient Pole Rotors	211
7.11	Slow Speed Salient Pole Rotors	212
7.12	A Brushless Alternator's Circuit, Terminal Plate and Rectifier	213
7.13	Exploded View of a Brushless Alternator	214
7.14	Sectional (Side) View of a Brushless Alternator	214
7.15	Flange-mounted Sleeve Bearing	219
7.16	Integral Pedestal Sleeve Bearing	220
7.17	Cross-sectional view of an Induction Generator	222
7.18	The Terminal Voltage-Current Characteristic of an Induction Generator for a Load with a Constant Lagging Power Factor	223

# **Addendum**

## Index of Figures

<b>Chapter 7 – Alternators (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
7.19(a)	The Torque-speed Characteristic Curve of an Induction Machine	224
7.19(b)	The Torque-speed Relationship in the Three Regions	224
7.20	Air-to-Water Closed Circuit Cooling	229
7.21	Air-to-Air Closed Circuit Cooling	230
7.22	A Conventional Shaft Generator System	233
7.23(a)	A Shaft Generator with a Static Frequency Converter	234
7.23(b)	A Shaft Generator cum Take Home Propulsion Motor Layout	235
7.24	A Three Phase Rectifier and its Associated Wave-forms	235
7.25	Power Factor Correction (Phasor Diagram) Using a Synchronous Motor	237
7.26	Phasor Diagram for an Unloaded Synchronous Motor	238
7.27	Large Slow-speed Main Engine with an Alternator at the Non-driving End	239
7.28	Generator Drive from the Intermediate Shaft	239
7.29	Generator Driven by Power Take-off from the Main Engine	240
7.30	Exhaust Gas Turbo-generator System	241
7.31	An Electrically Coupled System	241
7.32	Shaft Generator Supplying a High-voltage System for a Dredger	244
7.33	Generator Starting and ACB Closure onto a Dead Bus Bar (for a Diesel Generator)	246
7.34	A Local Starting Panel and an Air-Starting Motor for the Alternator	247
7.35	Effects of Harmonics on Current Waveform	249

<b>Chapter 8 – Direct Current Machines</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
8.1	Commutator and Brush Assembly	255
8.2	DC Machine Construction	256
8.3	A Four pole Generator	257
8.4	Armature and Commutator in a Two Pole Machine	258
8.5	The Commutator's Role	259
8.6	Flux Distribution in a DC Generator	261
8.7	Reduced Pole Tip Area	262
8.8(a)	Compensating Windings	263
8.8(b)	Pictorial View	263
8.9(a)	Interpole Principles	263
8.9(b)	Pictorial View of Interpoles	263

# **Addendum** **Index of Figures**

<b>Chapter 8 – Direct Current Machines (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
8.10	Commutation in a DC Generator	265
8.11	Series Wound Generator	267
8.12	Shunt Wound Generator	269
8.13	Shunt Generator External Characteristics	271
8.14	Compound Wound Generator	272
8.15	Compound Wound Generator - Long Shunt Type	274
8.16	Field Winding Terminal Markings	276
8.17	Compound Generator's External Characteristics	277
8.18	Compounding Adjustment with the Diverter	277
8.19	Series Resistance Control of Shunt and Compound Wound DC Generators	279
8.20	Hand operated Shunt Field Rheostat	280
8.21	Schematic Diagrams of DC Motors	283
8.22	Lines of Force in a Magnetic Field	284
8.23	Sectional View of a DC Motor	284
8.24	Field and Armature Magnetic Lines of Force (Combined)	285
8.25	Armature Reaction in a Motor	288
8.26	A Shunt Motor's Circuit	290
8.27	A Shunt Motor with Full Field Resistance	292
8.28	A Series-wound Motor	293
8.29	Types of Compound Motors	295
8.30	Separately Excited Motor	296
8.31	Reversing DC Motors	297
8.32	Dynamic Braking Circuit	298

<b>Chapter 9 – Automatic Voltage Regulators and Exciters</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
9.1	Self-excitation System	304
9.2	PMG-excited AVR Controlled Generator	305
9.3(a)	Static Automatic Voltage Regulator	307
9.3(b)	Characteristic of a Zener Diode	308
9.4(a)	A Thyristor-controlled Static Excitation System	309
9.4(b)	Static Excitation AVR Circuit with a Thyristor and Saturable Reactor	310

# **Addendum** **Index of Figures**

<b>Chapter 9 – Automatic Voltage Regulators and Exciters (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
9.4(c)	Role of the Thyristor	311
9.5	An Alternative Circuit of a Thyristor-controlled Static Excitation System	313
9.6	Typical Direct-feed Thyristor AVR	314
9.7	Transformer-based Static Excitation System	316
9.8	Typical Voltage Dip / Recovery Pattern for an Alternator	317
9.9	Comparison of Voltage Dip / Recovery Pattern for Different Excitation Systems	318
9.10	Variation of Excitation at Constant Voltage	319
9.11	Variation of Voltage at Constant Excitation	319
9.12	Exertion of Torque on the Rotor Due to the Stator Field	321
9.13	Governor Characteristic	321
9.14	Opposition of the Stator & Rotor Fields	322
9.15	The UFRO Control Potentiometer Sets the Knee Point	324
9.16	Dip Function Potentiometer Adjustment	326
9.17	Dwell Function	327
9.18	Effect of Droop in a Two-generator System	328
9.19	Block Diagram of a Modern AVR	330

<b>Chapter 10 – Fixed and Portable Instrumentation</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
10.1	A Moving Coil in a Magnetic Field - No Current Flow	339
10.2	A Moving Coil in a Magnetic Field - Current Flowing	339
10.3	Basic Arrangement in a PMMC Meter	340
10.4	D'Arsonval Movement in a PMMC Meter	341
10.5	Power Measurement in DC Circuits (Variant 1)	342
10.6(a)	Power Measurement in DC Circuits (Variant 2)	343
10.6(b)	The Magic Circle	343
10.7	Power Measurement Using Instrument Transformers	347
10.8	The Basic Electrodynamometer	348
10.9	Circuit of an Electrodynamometer Wattmeter	349
10.10	Variation of Mutual Induction with Deflection	351
10.11	Two Wattmeter Method – Star Connection	353
10.12	Phasor Diagram for a Star-connected Load	354

# **Addendum**

## Index of Figures

Chapter 10 – Fixed and Portable Instrumentation (Continued)		
Figure No.	Details	Page No.
10.13	Two Wattmeter Method – Delta Connection	356
10.14	Three-phase Two Element Wattmeter	357
10.15	The Power Triangle	358
10.16	Phasor Diagram	360
10.17	A Three-phase Electrodynamicometer-type Power Factor Meter	361
10.18	Phasor Diagram for Figure 10.17	361
10.19	Phasor Diagram for Figure 10.20	363
10.20	Three-Phase Moving Iron Power Factor Meter	364
10.21	Vibrating Reed Frequency Meter	365
10.22	Frequency versus Amplitude	366
10.23	Indications from Vibrating Reeds	367
10.24	Electrodynamicometer-type Frequency Meter	368
10.25	Schematic Diagram of Measuring Instruments on a Switchboard	369
10.26	A Simple Weston-type Synchroscope	371
10.27	An Improved Version of the Weston Synchroscope	372
10.28	Phasor Diagrams for Different Conditions of the Bus bar and Incoming Voltages	373
10.29	Dial of a Weston Synchroscope	374
10.30	Alternative Arrangement (Circuit) in a Synchroscope (Instrument Transformers not shown)	374
10.31	Schematic Diagram of an LED Synchroscope	375
10.32	The Rear Panel of an LED Synchroscope and the Relay Connection	376
10.33	Dial of a Rotating-type Phase Sequence Indicator	377
10.34	Static-type Phase Sequence Indicator	378
10.35	The DC Tachometer	379
10.36	The Drag Cup Tachometer (AC)	380
10.37	The Electronic Speed Relay	381
10.38	The Front Panel of the TEMM4 Electrical Multimeter	382
10.39	The Rear Panel of the TEMM4 Electrical Multimeter	383
10.40	Three-phase Wiring with 4 Wires	383
10.41	Three-phase Wiring with 3 Wires and 2 VTs with 2 CTs	384
10.42	Voltage Wiring with 3 VTs	384
10.43	Digital and Analog Multimeters	387

# **Addendum**

## Index of Figures

<b>Chapter 10 – Fixed and Portable Instrumentation (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
10.44	Block Diagram of a Digital Multimeter	388
10.45	Analog and Digital Clamp Meters	391
10.46	A 500V Portable Megger and its Basic Constructional Features	392
10.47	Cross-Sectional Representations of Wire Coils	393
10.48	Connection of Coils in a Megger	394
10.49	“Open Circuit” Indication	394
10.50	Circuit of an Earth Leakage Tester	396
10.51	Measuring the Insulation of a 2-core Cable	396
10.52	An Equivalent Circuit	396
10.53	Using All Three Leads	398
10.54	Schematic Diagram for Figure 10.53	398

<b>Chapter 11 – Paralleling of Alternators</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
11.1	A Basic Synchronising Circuit	404
11.2(a)	The Four Basic Stages of Synchronising	407
11.2(b)	Diesel - driven Alternator Starting / Synchronising (Manual Operation)	408
11.3	Automatic Synchronising	410
11.4(a)	Diesel-Driven Alternator Starting / Synchronising (Manually Initiated Sequential Operation)	411
11.4(b)	Diesel-Driven Alternator Starting / Synchronising (Automatic Operation)	412
11.4(c)	A Synchronising Panel on an Older Vessel	413
11.4(d)	A Synchronising Panel on a Tanker	414
11.5	Arrangement of Synchronising Lamps	416
11.6	Phasor Rotation while Synchronising	416
11.7	Synchronising Instruments	417
11.8	Excitation Control Phasors	420
11.9	Throttle Control Phasor Diagrams	423
11.10		423
11.11		423
11.12	Shifting of the Speed-load Characteristic	426
11.13(a)	Load Sharing of Two Alternators	427
11.13(b)	kW Load Sharing Characteristics Plotted Back-to-Back	431
11.14	kvar Load Sharing (Back to Back)	432



# **Addendum** **Index of Figures**

<b>Chapter 11 – Paralleling of Alternators (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
11.15	kVAr Load Sharing (Plot Not to Scale)	433
11.16	3% and 5% Droop Curves	436
11.17	Response Curves of Isochronous and Droop Governors	437
11.18	Comparison of 3% and 5% Droop Speed Settings For 50% and 100% Load	438
11.19	Speed Setting for 3% and 5% Droop at 70% Load	439
11.20	Use of Isochronous and Droop Units on an Isolated System	440

<b>Chapter 12 – Switchboards and Switchgear</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
12.1	Typical Layout of a Main Switchboard	446
12.2	Layout of a Main Switchboard in the Machinery Control Room	448
12.3	Close-Up View of a More Recent Main Switchboard	449
12.4	An Isolating Link in a Busbar Section of an Older Switchboard	450
12.5	A Group Starter Panel for an Engine Room's Machinery	451
12.6	Busbars in a Switchboard	454
12.7	The Basic Busbars in a Switchboard	455
12.8	A Generator Control Panel on an Older Vessel	457
12.9	A Generator Status Panel (for One Generator) on a Tanker	458
12.10	A Generator Control Panel (for One Generator) on a Tanker	459
12.11	The Basic Interlocks to Close an ACB And to Initiate the Auto Synchronising of a Second Generator	465
12.12	A Basic Air-break Circuit Breaker (ACB) for Alternators	467
12.13	Sectional View of an Air Circuit Breaker	468
12.14	Pictorial Diagram of a modern Air Circuit Breaker	471
12.15	Circuit Breaker Positions	472
12.16	Dielectric Strength versus Pressure for Air, Oil and SF <sub>6</sub>	474
12.17	A Moulded Case Circuit Breaker	475
12.18	MCBs of the Single and Double-Pole Types	477
12.19	A Miniature Circuit Breaker (MCB) Operating During a Short-Circuit	478
12.20	Residual Current Circuit Breakers – 4-Pole and 2-Pole	479
12.21	A Ground Fault Current Interrupter and its Associated Circuit	480
12.22	An Arc Fault Current Interrupter	481

# **Addendum**

## Index of Figures

<b>Chapter 13 – Starters for Alternating Current Motors</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
13.1(a)	A Squirrel Cage Rotor and the Bars with the End Rings	487
13.1(b)	Cutaway View of an Induction Motor	488
13.2	Breakaway Starting Current of Standard Motors - as a Multiple of the Rated Operational Current	490
13.3	Typical Starting Current Curve (as a Multiple of Rated Operating Current) as a Factor of Rotational Speed of Squirrel Cage Motors	491
13.4	Standard Values for Run-up Times of Standard Motors as a Function of Rated Power	493
13.5	Power and Control Circuits of a Direct-on-line Starter	495
13.6	Remote Control Circuit for a Direct-on-line Starter	496
13.7	A Direct-on-line Starter's Circuit for a Pump	498
13.8	Overhead Crane Arrangement	500
13.9	An Engine Room Crane's Basic D.O.L. Power Circuit and Brake	502
13.10	Control Circuit for the Engine Room Crane in Figure 13.9	503
13.11	The Dreggen AS Engine Room Crane in Operation	503
13.12	Variation of Current with Speed in Star and Delta-connected Windings	506
13.13	Variation of Torque with Speed in Star and Delta-connected Windings	507
13.14	A Basic Star – Delta Starter – without Interlocks	508
13.15	Switch-over Pause too short – Short-circuit across the Arc	509
13.16	Switch-over Pause too long – Shaft Speed Drops Off	510
13.17	Correct Wiring of Motor Phases for Clock-wise Rotation	511
13.18	Incorrect Wiring of Motor Phases – also Causes Clock-wise Rotation	512
13.19	Correct Wiring of Phases for Counter-clockwise Rotation	513
13.20(a)	Star-Delta Starter with a Fusible Isolator (Power Circuit)	516
13.20(b)	Control Circuit – Star-Delta Starter with Fusible Isolator	517
13.21(a)	Star-delta Starter for a Ballast Pump's Motor	520
13.21(b)	Star-delta Configuration	520
3.21(c)	A $\Delta$ - $\Delta$ Timer	520
13.21(d)	Star-delta Starter for a Forced Draft Fan of an Auxiliary Boiler	522
13.22(a)	Comparison of Direct-on-line and Star-Delta Characteristics (Torque versus Speed)	523
13.22(b)	Load Characteristics for a Direct On Line Asynchronous Motor With Load Curves for a CPP Propeller	524
13.22(c)	Comparison of Direct-on-line and Star-Delta Characteristics (Current versus Speed)	524
13.23	Comparison of Motor Starting Characteristics (Torque versus Slip)	526

# **Addendum** **Index of Figures**

<b>Chapter 13 – Starters for Alternating Current Motors (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
13.24	Comparison of Motor Starting Characteristics (Current versus Slip)	527
13.25	Autotransformer Starter	528
13.26	A Basic (Older) Circuit of Slip Ring Induction Motor's Starter	531
13.27	The Power Circuit of a Modern Slip Ring Induction Motor's Starter	532
13.28	The Control Circuit for a Modern Slip Ring Induction Motor's Starter	533
13.29	Basic Diagram and Components of the Soft Starter Utilizing 6 Thyristors	538
13.30	Basic Diagram of the Soft Starter Utilizing Three Thyristors and Three Diodes	539
13.31	Effect of Ramp Time on Speed-Torque Characteristics of a Soft Starter	540
13.32	Typical Torque-Speed Characteristics for an Electronic Starter	541
13.33	Timed Voltage Ramp	543
13.34	Torque-speed Curve when using a Soft Starter	545
13.35	Start Ramp, Stop Ramp and Initial Voltage	548
13.36	Current Limits in a Soft Starter	548
13.37	Current Limit Function in Soft Starter use	549
13.38	Curve showing the Step down Voltage Function	549
13.39	Main and Supply Voltages	551
13.40	Main and Control Voltages	551
13.41	A Basic Control Circuit of a Soft Starter	551
13.42	Soft Starter connected in a Reversible Motor Circuit	553
13.43(a)	Automatic Starting of a Standby Pump's Motor	554
13.43(b)	A Basic Sequential Starter Circuit	555
13.44	Synchronous Speed versus Rated Speed:	557
13.45	Star Connections for Speed Variation	559
13.46	Delta Connections for Speed Variation	560
13.47	A Single-line diagram of a VFD in a Motor's Starter Circuit	561

<b>Chapter 14 – Fault Protection Devices</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
14.1	Frayed Insulation Causing a Direct Short (or Bolted Short Circuit)	566
14.2	Voltage with Surge – even small sustained surges can cause damage	573
14.3	Protection Features of a Typical Marine Electrical System (AC)	578
14.4	Block Diagram of an Electronic Over Current Relay	580
14.5	Circuit Diagram of an Electronic Over Current Relay	580

# Addendum

## Index of Figures

<b>Chapter 14 – Fault Protection Devices (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
14.6	Overload and Preference Trips	583
14.7	Voltage Conditions	589
14.8	Cartridge Fuses	596
14.9	The Enclosed Fuse	597
14.10	Diazed (Bottle) Fuses	599
14.11	Neozed Fuses	601
14.12	NH Fuses	602
14.13	A High Rupturing Capacity Fuse	603
14.14	Inverse Time-Current Curve for a 30A HRC Fuse (Not to Scale)	604
14.15	Screw Caps	606
14.16	Fuse Link Rating for Motor Short-circuit Protection in DOL Starters	608
14.17	Protection Discrimination	612
14.18	Selective Coordination by Circuit Breakers	613
14.19	Inverse Characteristic Curve for the Tripping of Back-up Fuses	616
14.20	Open Circuit Fault in a Motor's Supply Circuit	617
14.21	Full-load Healthy Condition	619
14.22	Half-load Single-phase Condition	619
14.23	Principle of Operation of a Thermal OCR on Overload	621
14.24	PTC Thermistor Curve (Resistance versus Temperature)	623
14.25	Typical Circuit Involving Thermistors for Protection	624
14.26	Physical Specifications	625

<b>Chapter 15 – Electric Cables</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
15.1	Cable Cores	634
15.2	An American Wire Gauge	640
15.3	Cable Testing	640

<b>Chapter 16 – Insulation and Ingress Protection</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
16.1	Reduction in Insulation Life due to High Temperatures	656
16.2	Temperature versus Life Span	660
16.3	A Cable's Sheath	666

# Addendum

## Index of Figures

<b>Chapter 16 – Insulation and Ingress Protection (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
16.4	Cable Glands	670
16.5	Cable Terminals	670
16.6	Reefer Plugs and Connectors	671

<b>Chapter 17 – Transformers</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
17.1	Basic Operation of a Transformer	678
17.2	Hollow Laminated Core of a Transformer	680
17.3	Hollow Laminated Core of a Transformer with Windings	681
17.4	Shell-type Core Construction	681
17.5	Exploded View of a Shell-type Transformer	682
17.6	A Step-down Transformer	682
17.7	The Dot Convention	683
17.8	No-load Condition of a Transformer	686
17.9	Three-phase Lighting Transformer – 3-Wire $\Delta - \Delta$ Connection	692
17.10	$\Delta - \Delta$ Transformers with one unit disconnected	693
17.11	Three-phase Lighting Transformer – Delta-Star Connection	694
17.12	The Fixed Ratio Auto-transformer	699
17.13	The Variable Ratio Auto-transformer	700
17.14	Pictorial Views of Instrument Transformers	701
17.15	Instrument Transformers in a Basic (Wattmeter) Circuit	702
17.16	Bar-primary Current Transformer in a Switchboard	704

<b>Chapter 18 – Electrical Propulsion Systems</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
18.1	Machinery Arrangement – Conventional Propeller	708
18.2	Thruster Propulsion System	709
18.3	Machinery Arrangement in a Thruster Propulsion System	709
18.4	Basic Turbo-Electric Propulsion System	718
18.5	Basic Schematic Diagram of a Turbo-Electric Propulsion System	719
18.6	Phasor Diagram – Overcoming No-load Losses	721
18.7	Phasor Diagram from Bus-bar Point of View	722

# **Addendum** **Index of Figures**

<b>Chapter 18 – Electrical Propulsion Systems (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
18.8(a)	Basic Two-pole, Poly-phase Synchronous Motor	723
18.8(b)	Speed Torque Characteristic	725
18.9	Equipment Onboard an Offshore Emergency and Supply Vessel	727
18.10	Schematic Diagram of a Synchronous Motor-based Propulsion System	728
18.11	Schematic Diagram of a Cycloconverter-based Propulsion System	729
18.12	Frequency Change Using a Cycloconverter	730
18.13	Schematic Diagram of a Diesel-electric Propulsion System on a Passenger Ship	731
18.14	The Propeller Drive with a Cycloconverter (SIMAR Drive Cyclo)	733
18.15	Propeller Drive for an Electronic Commutator (SIMAR Drive Synchro)	735
18.16	Schematic Diagram of a SIMAR Drive PWM	737
18.17(a)	Side View of the SSP Propulsor	741
18.17(b)	Rear View of the SSP Propulsor	742
18.17(c)	Podded Propulsion Systems	742
18.17(d)	Sectional View of the Mermaid Pod Propulsor	743
18.18	Typical Configuration for a Single Skeg LNG Carrier	745
18.19	Typical Configuration for a Twin Skeg LNG Carrier	746
18.20	Schematic Diagram of a Twin Skeg LNG Carrier's Propulsion System	746
18.21(a)	Shaft Motor Installed in the Shaft Line	748
18.21(b)	Shaft Motor Installed at the Non-drive End of a Main Engine	748
18.21(c)	High-speed Shaft Motor Connected via a Gearbox at the Non-drive End of a Main Engine	749
18.21(d)	High-speed Shaft Motor Connected via a Gearbox that is integrated in the Shaft Line	749
18.22	Thruster Machinery Concepts	755
18.23	Existing Single Screw with Additional Booster Thrusters	758
18.24	Speed Gain from Additional Thrusters	759
18.25	Electronic Control System Type TPC	760
18.26	Indication of Thrust / Pitch and Backup Control	762
18.27(a)	Tunnel (Bow) Thrusters	768
18.27(b)	Sectional Views of the Prototype of a Modern Tunnel Thruster Using a Synchronous Motor with a Permanent Magnet Rotor	768
18.27(c)	Side Thruster on a Liquefied Natural Gas Carrier	770
18.28	Voith-Schneider Propulsion Unit	771
18.29	The Active Rudder	772

# **Addendum**

## Index of Figures

<b>Chapter 18 – Electrical Propulsion Systems (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
18.30	Elements of a Dynamic Positioning System	774
18.31	SSBL Principles	777
18.32	Taut Wire Principle	778
18.33	The LBL System	779
18.34	The Kamewa Water Jet – S Series	781
18.35	The Kamewa Water Jet – FF Series	781
18.36	The SCHOTTEL Pump-Jet	782
18.37	The Double Stern Unit	784
18.38	The Double Bow Unit	785

<b>Chapter 19 – Steering and Stabiliser Systems</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
19.1	AutoNav's Steering Console	793
19.2	Non-follow up Control Diagram of a Rudder	794
19.3	Two-ram Electrically-controlled, Hydraulically-operated Steering System	797
19.4	Electronic Steering Control - Manual Mode	802
19.5	Electronic Steering Control – Auto-pilot Mode	804
19.6	Anschütz Auto Steering	806
19.7	Steering Control System – NautoSteer	806
19.8	Rudder Angle Indicator and Tiller	807
19.9	FU Hand-wheel Unit	808
19.10	FU Tiller	808
19.11	Follow-up (FU) Amplifier	808
19.12	Feedback Unit	808
19.13	Solenoid Valve with On / Off Functions	809
19.14	NFU Hand-wheel Unit	809
19.15	NFU Tiller	809
19.16	An Analog Amplifier in a Proportional Steering Control Chain	809
19.17	Steering Mode Selector Switch	810
19.18	Rudder Position Indicators	810
19.19	Universal Signal Device	810
19.20	Override Control	811

# **Addendum** **Index of Figures**

<b>Chapter 19 – Steering and Stabiliser Systems (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
19.21	Monitoring System	811
19.22	Emergency Controls	811
19.23	The Three-framed Gyroscope	817
19.24	Fluid-filled Flux Gate Compass	825
19.25	Rudder Position Indicators	827
19.26	Two-element Synchro Chain (Initial Position of the Synchro Transmitter and Receiver)	829
19.27	Torque Transmitter	830
19.28	A Conceptual Diagram of a Stabiliser	833
19.29	The Stabiliser and Ships on which the Gyrofin Stabiliser is fitted	834
19.30	A Typical Gyrofin Installation	836

<b>Chapter 20 – Deck Machinery</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
20.1	Pictorial Diagram of a Windlass	842
20.2	A Typical Electric Windlass	842
20.3	Schematic Diagram of a Horizontal Electro-hydraulic Windlass	843
20.4	Layout of Mooring Winches and Windlasses on a VLCC	844
20.5	Remote Control Panel on a VLCC	847
20.6	Schematic Diagram of a Vertical Electro-hydraulic Windlass	848
20.7	Pictorial Diagrams of Figure 20.6	849
20.8	A Band Brake	850
20.9	Limit Switch on a Winch	852
20.10	Deck Cranes	854
20.11	Major Components in Deck Cranes	855
20.12	The Control Panels of another Variant of a Deck Crane	860
20.13	A Slack-rope Device	862

<b>Chapter 21 – Control of Air Compressors</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
21.1	A Basic High Pressure Non-Oil-Free Compressor System	867
21.2	Automatic Operation of a Compressor - The Basic Circuit	873
21.3	Schematic Diagram of Automatic Operation	876



# **Addendum** **Index of Figures**

<b>Chapter 21 – Control of Air Compressors (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
21.4	Main Air Compressor Control Circuit	877
21.5	Absorption-type Air Drier	883

<b>Chapter 22 – Batteries and Battery Charging</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
22.1	Calculation of Internal Resistance	888
22.2	The Two Basic Types of Batteries	890
22.3	Classification of Lead Acid Batteries	890
22.4	A Wet or Flooded Lead Acid Cell	891
22.5	Arrangement of 6 Cells to Form a 12 V Battery	892
22.6	Separators in a Wet Cell	894
22.7	The Valve Regulated Lead Acid Battery	897
22.8	The Absorbed Glass Mat Battery	898
22.9	Variation of Potential Difference on Charge and Discharge	902
22.10	Voltage-Time Curves	903
22.11	Variation of Capacity with Discharge Rate	904
22.12	A Nickel Cadmium Cell	910
22.13	A Sealed Nickel-Cadmium Cell	912
22.14	A Basic Circuit of a Constant Current System	918
22.15	A Basic Circuit of a Constant Voltage System	919
22.16	Battery Charging with DC Supply	925
22.17	Battery Charging from AC Supply	926
22.18	Emergency Battery Circuit	927
22.19	Functional Diagram of a Smart Charger	932
22.20	A VLCC's Battery Charger's Monitoring Panel	933
22.21	A Modern Battery Charging System on a VLCC	934
22.22	Block Diagram of the Battery Charger	935
22.23	A Basic Battery Charger and Distribution Board	936

# **Addendum** **Index of Figures**

<b>Chapter 23 – Lighting Systems</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
23.1	Ordinary Filament Lamp (General Lighting Service Lamp)	954
23.2	Linear Tungsten-Halogen Lamp – Double-ended	956
23.3	Low-pressure Mercury Fluorescent Lamp	957
23.4	Typical Glow-starter Switch Circuit	959
23.5	Transformer Quick-start Circuit	960
23.6	High Pressure Mercury Fluorescent Lamp Circuit	961
23.7	Low Pressure Sodium Vapour Lamp Circuit	962
23.8	High Pressure Sodium Vapour Lamp Circuit	963
23.9	Common Shapes of Lamp Caps	965
23.10	A Basic Double Navigation Light Schematic Circuit (Energised)	968
23.11	Alternative Navigation Light Circuit (Energised)	969
23.12	A Navigation Light Circuit (De-energised)	970
23.13	Basic Emergency Lighting Circuit	973

<b>Chapter 24 – Alarm Indication Systems</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
24.1	The Bi-metallic Detector	980
24.2	Upper and Lower Limits of Response Time	982
24.3	Rate of Rise-type Fire Detector (Pneumatic Type)	983
24.4	The Rate of Rise Detector (Bi-metallic Strip Type)	984
24.5	Ionization Chamber of the Combustion Detector	985
24.6	Principle of Operation of the Ionization Chamber	986
24.7(a)	Infra-red Flame Detector	988
24.7(b)	Ultra-violet Flame Detector	988
24.7(c)	Flame Detector Housing	988
24.8	A Modern Fire Alarm Panel and a General Alarm Bell	990
24.9	A Modern Fire Detection System's Panel	991
24.10	Loop A of the Fire Alarm System	992
24.11	Loop F of the Fire Alarm System	994
24.12(a)	Foam Pump	995
24.12(b)	Foam Pump Starter	995
24.13	A CO <sub>2</sub> Fire Extinguishing System including Smoke Detector Installation	996

# **Addendum**

## Index of Figures

<b>Chapter 24 – Alarm Indication Systems (Continued)</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
24.14	CO <sub>2</sub> Cabinet Door Alarm	997
24.15	Overview of the Supervisory Control System	1001
24.16	Stages Leading to an Explosion Due to Oil Mist	1003
24.17	A Basic Crankcase Oil Mist Detector	1005
24.18	Comparison-type Crankcase Oil Mist Detector	1006
24.19	Alternative Circuit of a Comparison-type Crankcase Oil Mist Detector	1007
24.20	Line of Sight Smoke / Oil Mist Detector	1008
24.21	Main Unit in the ECR	1012
24.22	On / Off and Accept Unit In the Engine Room	1012
24.23	Bridge Unit in the Wheel House	1012
24.24	Overall System Diagram	1019
24.25	A Sound-powered Telephone	1025

<b>Chapter 25 – Gas Analysers</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
25.1	Combustible Gas Indicator	1032
25.2	Two Variants of Combustible Gas Indicators	1033
25.3	The Flow System in a Tankscope	1037
25.4	A Tankscope	1038
25.5	Circuit Diagram of a Tankscope	1039
25.6	The Thick Film	1042
25.7	The Sensor	1042
25.8	The NDIR500 CO and CO <sub>2</sub> Analyser	1044
25.9	E-11 Draeger Oxygen Analyser	1047
25.10	Draeger Oxygen Analyser E-11 Probe (Electrolytic Cell)	1048
25.11	Sensitive Element of the Munday Cell	1051
25.12	Basic Circuit of the Munday Cell	1052
25.13	An Oxygen Analyser	1053
25.14	The Basic Device	1055
25.15	Construction of the Sensor	1055
25.16	The Device in use	1056

# **Addendum**

## Index of Figures

<b>Chapter 26 – Miscellaneous Systems</b>		
<b>Figure No.</b>	<b>Details</b>	<b>Page No.</b>
26.1	Detachment of Positive Charges	1060
26.2	Conversion of Hydrogen Ions to Hydrogen Atoms	1061
26.3	Anode and Cathode Occurrence on the Same Piece of Metal	1062
26.4	E Log I Diagram	1063
26.5	Voltages for Zinc and Silver With Respect To the Hull	1064
26.6	Sacrificial Anode System	1065
26.7	Sacrificial Anodes	1065
26.8	An Impressed Current System	1067
26.9	The Basic Circuit of an Impressed Current System	1067
26.10	An Impressed Current System's Insulated Anodes	1068
26.11	Layout of a Basic Impressed Current Cathodic Protection System	1068
26.12	Schematic Diagram of an Impressed Current Cathodic Protection System	1071
26.13	Example of System Components (Forward) and Remote Monitor	1072
26.14	Example of System Components (Aft)	1073
26.15	The MGPS Control Panel	1075
26.16	Piping and Instrumentation Diagram of the MGPS	1076
26.17	A Shaft Earthing Assembly	1077
26.18	Dionic Water Purity Meter	1078
26.19	The Basic Salinometer	1080
26.20	Heater Connections for Galley Plates	1083
26.21	A Watertight Door	1086
26.22	The Refrigeration Cycle (with a Water-Cooled Condenser)	1092
26.23	A Refrigeration System's Control Panel (with an Air-Cooled Condenser)	1094
26.24	A Refrigeration System's Basic Circuit (with an Air-Cooled Condenser)	1095